



Ref. No. RKL/STP/Distil/EC/2023-24/1121....

Date: - 27.11.2023

To,

The Regional Officer
Ministry of Environment Forest & Climate Change
Integrated Regional office, Kendriya Bhawan 5th Floor,
Sector "H", Aliganj, Lucknow – 226020.

Subject: - Submission of Six-Monthly Compliance report of the condition of Environment Clearance for "New Green Field Distillery" M/s Radico Khaitan Limited. Village- Kanduni & Jagdishpur Tehsil- Biswan District- Sitapur Uttar Pradesh.

Reference: - Ministry of Environment, Forest & Climate Change EC vide letter no. IA/UP/IND2/253256/2022 dated 14 Jul 2022.

Dear sir,

With reference to the cited subject, we are hereby submitting the Six-Monthly Compliance report as per the conditions stipulated in the Environment Clearance issued by Ministry of Environment, Forest & Climate Change vide letter no. IA/UP/IND2/253256/2022 dated 14 Jul 2022 for "New Green Field Distillery" M/s Radico Khaitan Limited. Village- Kanduni & Jagdishpur Tehsil- Biswan District- Sitapur Uttar Pradesh.

For, Radico Khaitan Ltd., Unit- Sitapur.


(Hari Shankar Shukla)
EXECUTIVE VICE PRESIDENT

Encl.: Compliance report for the period of April,2023 to September,2023.

CC: -

- 1- Member Secretary, Uttar Pradesh Pollution Control Board, Building No.TC-12V, Vibhuti Khand, Gomti Nagar, Lucknow – 10



Radico Khaitan Limited

ISO 9001 :2008 Certified Company

(Unit : Sitapur) Village - Kanduni, Tehsil - Biswan, Sidhauri Biswan Road, Sitapur (U.P.) - 261201
Regd. Office & Works : Bareilly Road, Rampur - 244901 (U.P.)
Tel. EPABX (0595) 2350601, 2350602, 2350427, Fax : (0595) 2350009 email : rampur@radico.co.in
Head Office : Plot No. J-1, Block B-1, Mohan Co-op. Industrial Area,
Mathura Road, New Delhi-110044
Tel. : (91-11) 40975400/444/500/555, Fax : (91-11) 41678841-42
e-mail : info@radico.co.in, website : www.radicokhaitan.com

SIX MONTHLY COMPLIANCE REPORT
OF
THE CONDITIONS
OF
ENVIRONMENTAL CLEARANCE
FOR
M/S RADICO KHAITAN LIMITED
400 KLPD GRAIN/MOLASSESS BASED GREEN
FILED DISTILLERY
AT VILLAGE- KANDUNI & JAGDISHPUR TEHSIL-
BISWAN, DISTRICT- SITAPUR (U. P)

ENVIRONMENTAL CLEARANCE

IA/UP/IND2/253256/2022 Dated 14 July- 2022.

Period of Compliance: April- 2023 to October-2023

Name of the Project: Ethanol Plant (Capacity - 400 KL/Day) for M/s Radico
Khaitan Limited.

Environment Clearance Letter No: IA/UP/IND2/253256/2022 dated 14 Jul 2022.
Period of Compliance Report: April 2023 to September 2023.

EC Identification No. - EC22A022UP176988 File No. - IA-J-
11011/33/2022-IA-II(I) Date of Issue EC - 31/08/2022.

As per the conditions given in the Environment Clearance,
our point wise submission is as under:



A. Specific Condition:

Sr. No.	COMPLIANCE CONDITION	STATUS OF COMPLIANCE
	(i) The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented. All public hearing issues shall be properly addressed as per timeline and budget submitted.	Company have invested above 31.74 crore against EMP & recurring cost is 2.5 crore is being allotted for the same & furthermore will be proposed as per mentioned in EC. Breakup of Corporate Environment Responsibility is attached as Annexure- 01
	(ii) The project proponent will treat and reuse the treated water within the factory and no waste or treated water shall be discharged outside the premises. STP shall be installed to treat sewage generated from factory premises.	The Plant is completely based on " Zero Liquid Discharge ". Copy of Process Flow Chart, ZLD Flow Chart & Water balance Sheet is attached as Annexure: - 02 A & B STP of capacity 50 KLPD is installed for the domestic effluent & treated effluent is being using in horticulture.
	(iii) EC granted for a project on the basis of the submitted documents shall become invalid in case the actual land for the project site turns out to be different from the land considered at the time of appraisal of project. Conversion of land use (CLU) certificate shall be obtained before start of construction activities.	CLU certificate is attached as Annexure- 03
	(iv) Total Fresh water requirement shall not exceed 1993 m ³ /day for Grain based operations or 1989 m ³ /day for Molasses based operations and will be met from ground water. Prior permission shall be obtained for ground water withdrawal before start of construction activities. No ground water recharge shall be permitted within the premises. Industry shall construct a storage pond of 60 days capacity and the accumulated water to be used as fresh water thereby reducing freshwater consumption.	Point is noted & unit is using the quantity of ground water as per mentioned in Environment Clearance & we have been obtained the NOC from UPGWA for underground water consumption. For accumulation of water, we have constructed 60 days storage pond near CPU. The copy of NOC & borewell water withdrawal logbook is attached as Annexure: - 04 A & B.
	(v) In grain-based operations, spent wash shall be concentrated and dried to form DDGS to be used as cattle feed or in molasses-based operations, spent wash will be concentrated in MEE and burnt as fuel in incineration	Plant is designed at dual mode & recently is running at grain based. Generated spent wash is being treated as mentioned in EC. Process



<p>boiler. ESP/bag house shall be installed with the boiler for controlling the particulate emissions within the statutory limit of 50 mg/Nm³. SO₂ and NO_x emissions shall be less than 100 mg/Nm³. Boiler ash will be used for brick manufacturing and supplied to nearby brick manufacturers in covered vehicles only. PP shall use biomass like rice husk/bagasse as fuel for the proposed boiler. Low sulphur coal with maximum sulphur content of 0.5% shall only be used only as 15% auxiliary fuel. PP shall meet 10% of the total power requirement from solar power by generating power inside plant premises/adjacent/nearby areas.</p>	<p>flow chart is attached as Annexure- 02 A Air pollution control equipment's has been installed at their respective location & is in working condition. Copy of ESP detail, photos of Ash Silo, ESP & stack emission test report is attached as Annexure- 05 A, B, C & D. The generated fly ash is being supplying to the brick manufacturer. Copy of hired brick manufacturer is attached as Annexure-06.</p>
<p>(vi) CO₂ generated from the process shall be bottled/made solid ice and utilized/sold to authorized vendors/collected in proposed bottling plant.</p>	<p>Proposal of CO₂ plant is at final stage & after finalized the vendor & start the work, report will be submitted to the board as soon as.</p>
<p>(vii) PP shall allocate at least Rs. 1.0 Crores/annum for Occupational Health Safety. Occupational Health Centre for surveillance of the worker's health shall be set up. The health data shall be used in deploying the duties of the workers. All workers & employees shall be provided with required safety kits/mask for personal protection.</p>	<p>The Breakup Expenditure sheet for Occupational Health & safety is attached as Annexure: - 07</p>
<p>(viii) Training shall be imparted to all employees on safety and health aspects of chemicals handling. Safety and visual reality training shall be provided to employees.</p>	<p>Training is being providing as per EC. Copy of training module is attached as Annexure-08</p>
<p>(ix) The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Firefighting system shall be as per the norms. PESO certificate shall be obtained.</p>	<p>For the protection arrangement we have installed the Firefighting system surrounding & within factory premises. The copy of Fire NOC & PESO certificate is attached as Annexure- 09 (A) & (B)</p>
<p>(x) Process organic residue and spent carbon, if any, shall be sent to Cement and other suitable industries for its incinerations. ETP sludge, process inorganic & evaporation salt shall be disposed of to the TSDF.</p>	<p>Only ETP digested sludge is generating & being utilized in horticulture as Bio-manure.</p>
<p>(xi) The company shall undertake waste minimization measures as below (a) Metering and control of quantities of active ingredients to minimize waste; (b) Reuse of by-products from the process as raw materials or as raw</p>	<p>a- For metering & control of quantities we have installed flow meter at each stream.</p>



<p>material substitutes in other processes. (c) Use of automated filling to minimize spillage. (d) Use of Close Feed system into batch reactors. (e) Venting equipment through vapour recovery system. (f) Use of high-pressure hoses for equipment clearing to reduce wastewater generation.</p>	<p>b- Generated by product as Fly ash is supplying to Brick manufacturer & DDGS is being sold to the supplier as cattle feed. Copy of Brick manufacturer is attached as Annexure- 06</p> <p>c- N/A</p> <p>d- Close feed system is provided at input of boiler feed & grain material feed.</p> <p>e- Facilities is provided.</p> <p>f- We are using high pressure hoses for minimised the wastewater wherever is required.</p>
<p>(xii) The green belt of at least 5-10 m width shall be developed in 10.1 Ha i.e., 33.03% of the total project area with tree density @ 2500 trees per hectares, mainly along the plant periphery. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department and native species shall be developed. Records of tree canopy shall be monitored through remote sensing map. Greenbelt shall be developed before commissioning of the plant.</p>	<p>Total project area is 30.589 ha. under which 10.1 ha. area (about 33%) is marked for greenbelt development of 10 m width. The Proposed plan & photographs showing greenery of the industry premises is enclosed as Annexure: - 10</p>
<p>(xiii) PP proposed to allocate Rs. 2.0 Crores towards Extended EMP (CER) which shall be spent as submitted in CER plan for monitorable activities like upgradation of schools with provision of facilities e.g., Classrooms, playground, Laboratory, Library, Computer class, toilets, Drinking Water Facilities, solar light/solar power support for uninterrupted power supply etc. Further, all the proposed activities under CER shall be completed before the commissioning of the plant in consultation with District Administration.</p>	<p>In the 1st step, Unit has been invested above 50 lac expenditure for socio-economic development as (CER) within the 15 to 20 Kms radius & furthermore 50 lac is planning to invest for the betterment. The copy of investment against CER is attached as Annexure: - 11</p>
<p>(xiv) There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products and no parking to be allowed outside on public places. Out of the total project area, 15% shall be allotted solely for parking purposes with facilities like rest rooms etc. Village road shall be maintained, and proper safety shall be ensured by installation of proper road safety measures.</p>	<p>Adequate space within & outside premises is allotted. Land area breakup is attached as Annexure- 12</p>



<p>(xv) Storage of raw materials shall be either in silos or in covered areas to prevent dust pollution and other fugitive emissions. All stockpiles should be constructed over impervious soil and garland drains with catch pits to trap runoff material shall be provided. Biomass shall be stored in covered sheds and wind breaking walls/curtains shall be provided around biomass storage area to prevent its suspension during high wind speed. All Internal roads shall be paved. Industrial vacuum cleaner shall be provided to sweep the internal roads. The Air Pollution Control System shall be interlocked with process plant/machinery for shutdown in case of operational failure of Air Pollution Control Equipment.</p>	<p>We have installed 03 numbers of covered grain silo for storage of grain raw materials with obtained capacity of 10000 MT each & planning to install 02 more in future. Photograph of grain silo is attached as Annexure-13</p> <p>Garland drains with catch pit for runoff the materials have been provided surrounding biomass storage area.</p> <p>The covered shed for biomass storage is above 50 % has been completed & remaining area will also be completed as earliest. All the stockpiles are maintaining at constructed impervious soil & for control the fugitive emission, Paved Road is under construction & biomass has been covered by HDPE linear sheet throughout the storage area.</p> <p>Air pollution control Interlocking system will be provided as soon as & report will be submitted to the board as earliest.</p>
<p>(xvi) Continuous online (24x7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.</p>	<p>Online monitoring system for stack emission & WEB cameras has been installed at their respective location as mentioned in EC & once connected with CPCB/UPPCB sever then report will be submitted to the Board as soon as. & Waiting of connection with board server.</p>
<p>(xvii) A separate Environmental Management Cell (having qualified person with Environmental Science/Environmental Engineering/specialization in the project area) equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions. EMC head shall report directly to Head of Organization/ Managing Director/CEO as per company hierarchy.</p>	<p>The copy of Environment cell is attached as Annexure: - 14</p>



<p>(xviii). PP shall sensitize and create awareness among the people working within the project area as well as its surrounding area on the ban of Single Use Plastic in order to ensure the compliance of Notification published by MOEFCC on 12th August 2021. A report along with photographs on the measures taken shall also be included in the six-monthly compliance report being submitted to concerned authority.</p>	<p>We have obtained the Plastic Management Registration No. 2022092906544800597 from the CPCB.</p>
--	--

B. General Condition

Sr. No.	COMPLIANCE CONDITION	STATUS OF COMPLIANCE
	<p>(i) No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval the Ministry of Environment, Forest, and Climate Change/SEIAA, as applicable. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry/SEIAA, as applicable, to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.</p>	<p>Point is Noted & complied & no modification will be adopted without prior permission of the Board.</p>
	<p>(ii) The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment.</p>	<p>For the energy conservation we have installed only LED for lighting n within premises.</p>
	<p>(iii) The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (daytime) and 70 dBA (night-time).</p>	<p>Noted & for control the nose, we have installed acoustic enclosure with all DG set. The Nosie level test report is attached as Annexure: - 15</p>
	<p>(iv) The company shall undertake all relevant measures for improving the socioeconomic conditions of the surrounding area. CER activities shall be undertaken by involving local villages and administration and shall be implemented. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.</p>	<p>In the 1st step, Unit has been invested above 50 lac expenditure for socio-economic development as (CER) within the 15 to 20 Kms radius & furthermore 50 lac is planning to invest for the betterment. The copy of investment against CER is attached as Annexure: - 11</p>
	<p>(v) The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate</p>	<p>Company have invested above 31.74 crore against EMP & recurring cost is 2.5 crore is being allotted for the same &</p>



Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.	furthermore will be proposed as per mentioned in EC. Breakup of Corporate Environment Responsibility is attached as Annexure- 01
--	---

(vi) A copy of the clearance letter shall be sent by the project proponent to concern Panchayat, Zilla Parishad/Municipal Corporation, Urban local Body, and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.	Noted & complied.
(vii) The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six-monthly compliance status report shall be posted on the website of the company.	Noted.
(viii) The environmental statement for each financial year ending 31 st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF&CC by e-mail.	The copy of submitted Environment statement is attached as Annexure: - 16
(ix) The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry and at https://parivesh.nic.in/ . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.	Copy of EC advertisement is attached as Annexure- 17
(x) The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	Noted & complied.
(xi) This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.	Noted.
20 The Ministry reserves the right to stipulate additional conditions, if found necessary at subsequent stages and the project proponent shall implement all the said conditions in a time bound manner. The Ministry may revoke or suspend the	Noted.





	environmental clearance if implementation of any of the above conditions is not found satisfactory.	
21	Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986. pollution control equipment, the production process connected to it shall be stopped with immediate effect.	Noted.
22	Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	Noted & agreed.
23	The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 read with subsequent amendments therein.	Noted & agreed.
24	This issues with the approval of the competent authority.	Noted for compliance.

The Unit is assuring to the Board that we are so aware toward the Environmental Protection & social responsibilities & committed toward creating a clean & hygienic safe environment inside & outside of Factory premises.

For, Radico Khaitan Ltd., Unit- Sitapur.


(Hari Shankar Shukla)
EXECUTIVE VICE PRESIDENT

Encl.: Compliance report for the period of April,2023 to September,2023.

CC to The,

Member Secretary, Uttar Pradesh Pollution Control Board, Building No.TC-12V, Vibhuti Khand, Gomti Nagar, Lucknow – 10



Radico Khaitan Limited

ISO 9001 :2008 Certified Company

(Unit : Sitapur) Village - Kanduni, Tehsil - Biswan, Sidhauri Biswan Road, Sitapur (U.P.) - 261201
Regd. Office & Works : Bareilly Road, Rampur - 244901 (U.P.)
Tel. EPABX (0595) 2350601, 2350602, 2350427, Fax : (0595) 2350009 email : rampur@radico.co.in
Head Office : Plot No. J-1, Block B-1, Mohan Co-op. Industrial Area,
Mathura Road, New Delhi-110044
Tel. : (91-11) 40975400/444/500/555, Fax : (91-11) 41678841-42
e-mail : info@radico.co.in, website : www.radico.khaitan.com



EXPENDITURE OF ENVIRONMENT MANAGEMENT PLAN		
Sr. No.	Detail	Amount
1	Online Monitoring System	2832000.00
2	STP 50 KLPD	2529212.00
3	Decanter Centrifuge & Dryer	180193189.60
4	PAQUES Environment Technology	23560877.64
5	Membrane Group India Pvt Ltd. UF/RO	76051000.00
6	ESP at Boiler	31225773.00
7	In Horticulture	1025080.82
	Total: -	317417133.06
	Proposed Recurring cost/annum: -	25000000.00
	Gross Total: -	342417133.06
Note: - Bill summary is attached for your kind review.		


Radico Khaitan Limited

ISO 9001 :2008 Certified Company

(Unit : Sitapur) Village - Kanduni, Tehsil - Biswan, Sidhauri Biswan Road, Sitapur (U.P.) - 261201
Regd. Office & Works : Bareilly Road, Rampur - 244901 (U.P.)
Tel. EPABX (0595) 2350601, 2350602, 2350427, Fax : (0595) 2350009 email : rampur@radico.co.in
Head Office : Plot No. J-1, Block B-1, Mohan Co-op. Industrial Area,
Mathura Road, New Delhi-110044
Tel. : (91-11) 40975400/444/500/555, Fax : (91-11) 41678841-42
e-mail : info@radico.co.in, website : www.radicokhaitan.com

ANNEXURE- 02 (A)


RADCIO KHAITAN LIMITED (DISTILLERY DIVISION) UNIT- SITAPUR U. P DISTILLERY CAPACITY- 350 KLPD PROCESS FLOW CHART



RADICO KHAITAN LIMITED (DISTILLERY) UNIT- KANDUNI, SITAPUR U.P

CONDENSATE PROCESSING UNIT FLOW CHART SHOWING ZLD

Capacity: - (Organic streams- 2600 KLPD + Inorganic streams- 1000 KLPD) 3600 KLPD.



WATER BALNCE SHEET FOR MONTH SEPTEMBER,2023 RKL UNIT- SITAPUR

Annexure-02(B)

W+A1:Y25ater consumption in Liquefaction Oct-2023													Water consumption in Cooling towers			Total cooling water	Water consumption in Boiler			Raw water for DM plant	Total Raw water consumption	RO reject	DM regeneration
Date	AA production	Wash Made	Ferment er CIP	Flour consumption	Raw water consumption	Thin slop recycled to Liq M3	Process condens ate	RC leese	RO water reject	Water from steam	Steam condens ate	Total water Consumption in Liquefaction	CPU RO water	WTP RO water	WTP DM water		WTP DM water	Total DM water	Raw water for RO plant				
01-09-2023															351	351	193	544	599	599		46	
02-09-2023															166	166	167	332	594	594		262	
03-09-2023										72					332	332	207	539	667	667		128	
04-09-2023		997		299	616	0	0	0	0	82	0	698	0	0	424	424	45	469	642	1258		173	
05-09-2023		626		188	309	0	0	0	0	129	0	438	0	0	315	315	54	369	597	906		228	
06-09-2023		1352		407	782	0	0	0	0	163	0	945	0	0	385	385	54	439	565	1347		126	
07-09-2023		1960		588	1223	0	0	0	0	149	0	1372	0	0	512	512	90	602	717	1940		115	
08-09-2023		1275		383	874	0	0	0	0	18	0	892	0	0	264	264	207	471	667	1541		196	
09-09-2023		63		19	44	0	0	0	0	0	0	44	0	0	35	35	0	35	116	160		81	
10-09-2023		0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	
11-09-2023		0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	12	12		0	
12-09-2023		0		0	0	0	0	0	0	0	0	0	0	0	0	142	142		300	300		158	
13-09-2023		0		0	0	0	0	0	0	0	0	0	0	0	431	431	274	705	789	789		84	
14-09-2023		0		0	0	0	0	0	0	0	0	0	0	0	543	543	209	752	1068	1068		316	
15-09-2023		0		0	0	0	0	0	0	0	0	0	0	0	190	190	0	190	208	208		18	
16-09-2023		471	50	142	294	0	0	0	0	85	0	379	0	0	456	456	185	640	840	1134		200	
17-09-2023	97804	2338	50	704	1447	0	0	80	0	157	0	1684	0	0	542	542	617	1158	1360	2807		202	
18-09-2023	102717	572	50	172	323	0	0	84	0	43	0	450	0	0	525	525	495	1020	1287	1610		267	
19-09-2023	81690	0	0	0	0	0	0	67	0	0	0	67	0	0	123	123	360	483	593	593		110	
20-09-2023	114816	1177	50	353	683	0	0	94	0	97	0	874	0	514	0	514	348	348	644	409	1736	130	73
21-09-2023	182130	516	50	155	226	0	0	149	0	36	0	411	0	590	0	590	384	384	873	525	1624	283	141
22-09-2023	115181	458	50	137	259	0	0	94	0	17	0	371	0	601	0	601	399	399	885	474	1618	284	75
23-09-2023	125088	929	50	279	547	0	0	102	0	51	0	700	0	312	158	470	581	738	470	815	1832	158	77
24-09-2023	212402	1813	50	544	1100	0	0	174	0	45	0	1319	0	827	6	833	671	676	1152	996	3248	325	320
25-09-2023	271304	2023	50	607	1166	0	0	222	0	78	0	1466	0	785	0	785	357	357	1076	435	2677	291	78
26-09-2023	245250	1080	50	324	535	0	0	201	0	70	0	806	0	669	0	669	364	364	879	468	1882	210	104
27-09-2023	237824	505	50	152	129	0	0	195	0	80	0	403	0	718	0	718	393	393	1050	490	1669	332	97
28-09-2023	248450	2460	50	740	1444	0	0	203	0	122	0	1770	0	691	0	691	552	552	945	653	3042	254	110
29-09-2023	133100	2165	50	651	1359	0	0	109	0	97	0	1565	0	500	0	500	391	391	740	503	2602	240	112
30-09-2023	298415	2508	50	754	1406	0	0	244	0	154	0	1804	0	749	0	749	479	479	1040	625	3071	291	146
Total	2466171	25288	700	7598	14767	0	0	2018	0	1744	0	18457	0	6956	5757	12713	8215	13971	9754	18014	42535	2798	4043



न्यायालय :- उपजिलाधिकारी
मण्डल :लखनऊ , जनपद :सीतापुर , तहसील :बिसवां
कम्प्यूटरीकृत वाद संख्या:- T202210640402745
वाद संख्या:- 2745/2022
रेडिको स्पिरिट्ज इंडिया प्राइवेट लिमिटेड बनाम ग्राम सभा कन्दुनी
उत्तर प्रदेश राजस्व संहिता - 2006 , अंतर्गत धारा:- 80
" अंतिम आदेश "
आदेश तिथि:- 20/06/2022

प्रश्नगत वाद रेडिको स्पिरिट्ज इंडिया प्राइवेट लिमिटेड, कार्यालय पंजीकृत पता बरेली रोड, रामपुर, उत्तर प्रदेश द्वारा अन्तर्गत धारा 80 उ0प्र0राजस्व संहिता 2006 का प्रार्थना पत्र प्रस्तुत कर कहा गया है कि भूमि स्थित ग्राम कन्दुनी परगना व तहसील बिसवां जिला सीतापुर की गाटा संख्या 1035/0.320, 1041/0.312, 1038/0.166, 1039/0.170, 1051क/0.283, 1034/0.170 व 1049/0.194 कुल रकबा 1.615हे0 पर अनाज आधारित डिस्टिलरी इकाई/ओद्योगिक प्रयोजन हेतु अकृषिक घोषित कराने की याचना की गयी है।

प्रार्थना पत्र की जांच तहसीलदार बिसवां से करायी गयी, जांच आख्यानुसार ग्राम कन्दुनी परगना व तहसील बिसवां जिला सीतापुर की खाता संख्या 410 की गाटा संख्या 1049/0.194हे0 व खाता संख्या 30 की गाटा संख्या 1051क/0.283, 1034/0.170हे0 पर रेडिको स्पिरिट्ज इंडिया प्राइवेट लिमिटेड पता बरेली रोड रामपुर उ0प्र0 अधिकृत हस्ताक्षरी लोकेन्द्र कुमार त्रिपाठी पुत्र केशरी प्रसाद त्रिपाठी नि0 आई 1023 10वां फ्लोर ब्लाक आई एवेन्यू गोर सिटी सेक्टर 4 चिपियाना खुर्द गौतमबुद्ध नगर उ0प्र0 व खाता संख्या 317 की गाटा संख्या 1035/0.320, 1041/0.312 व खाता संख्या 402 की गाटा संख्या 1038/0.166, 1039/0.170 पर रेडिको स्पिरिट्ज इंडिया प्राइवेट लिमिटेड पता बरेली रोड, रामपुर, उत्तर प्रदेश अधिकृत हस्ताक्षरी दिनेश कुमार गुप्ता पुत्र रामकरन गुप्ता नि0हा0न0 714 फस्ट फ्लोर शास्त्री नगर उत्तर पश्चिमी नई दिल्ली के नाम बतौर संक्रमणीय भूमिधर दर्ज है। उक्त गाटा संख्या कुल 7 किता रकबा 1.615हे0 पर अनाज आधारित डिस्टिलरी इकाई स्थापना हेतु निर्माण कार्य हो रहा है। मौके के फोटोग्राफ संलग्न है। उक्त गाटा संख्याओ पर कृषि कार्य, बागवानी, पशुपालन, मत्स्य पालन, फूलों की खेती, मधुमक्खी पालन, कुक्कुट पालन नहीं किया जा रहा है। उक्त गाटा संख्याओं का अकृषिक घोषित करने से सार्वजनिक न्यूसेन्स की संभावना नहीं है। गाटा संख्या 1051क प्रथक गाटा है जिस पर कोई आपत्ति नहीं है। आवेदित भूमि सीलिंग, पट्टे, गाँव सभा एवं सुरक्षित श्रेणी की नहीं है।

तहसीलदार बिसवां की आख्या के आधार पर वाद दर्ज रजिस्टर किया गया। वर्तमान में प्रचलित/निर्धारित सर्किल रेट 20,00,000रुपये के अनुसार उक्त गाटा संख्या की कुल मालियत 32,300,00रुपये की मालियत का एक प्रतिशत 32,300 (बत्तीस हजार तीन सौ रुपये) न्याय शुल्क तथा मालियत का एक प्रतिशत 32,300रुपये उद्घोषणा शुल्क के रूप में चालान द्वारा कोषागार में जमा कराया गया। तहसीलदार बिसवां की आख्या एवं पत्रावली पर उपलब्ध साक्ष्यों का सम्यक् अनुशीलन किया गया। जिससे मैं इस निष्कर्ष पर पहुँचता हूँ कि भूमि स्थित ग्राम कन्दुनी परगना व तहसील बिसवां जिला सीतापुर की खाता संख्या 410 की गाटा संख्या 1049/0.194 व खाता संख्या 30 की गाटा संख्या 1051क/0.283, 1034/0.170 व खाता संख्या 317 की गाटा संख्या 1035/0.320, 1041/0.312 व खाता संख्या 402 की गाटा संख्या 1038/0.166, 1039/0.170 को उ0प्र0 राजस्व संहिता 2006 की धारा 80(2) के अन्तर्गत अकृषिक घोषित किये जाने योग्य है। अतः निम्न आदेश पारित किया जाता है।

आदेश

ग्राम कन्दुनी परगना व तहसील बिसवां जिला सीतापुर की खाता संख्या 410 की गाटा संख्या 1049/0.194 व खाता संख्या 30 की गाटा संख्या 1051क/0.283, 1034/0.170 खाता संख्या 317 की गाटा संख्या 1035/0.320, 1041/0.312 व खाता संख्या 402 की गाटा संख्या 1038/0.166, 1039/0.170को उ0प्र0 राजस्व संहिता 2006 की धारा 80(2) के अन्तर्गत अकृषिक घोषित किया जाता है। यदि कोई प्रतिकूल तथ्य संज्ञान में आता है तो यह आदेश स्वतः निरस्त माना जाये। परवाना अमलदरामद जारी हो। पत्रावली बाद आवश्यक कार्यवाही दाखिल दफत्र हो।



(पी0एल0 मौर्य)
उप जिलाधिकारी
बिसवां-सीतापुर।

Disclaimer :

उपरोक्त सूचना मात्र सूचनार्थ है तथा राजस्व न्यायालय कम्प्यूटरीकृत प्रबन्धन प्रणाली (RCCMS) में उपलब्ध अद्यतन सूचना पर आधारित है , इस सूचना की कोई विधिक मान्यता नहीं होगी। वास्तविक सूचना की पुष्टि सम्बंधित न्यायलय / न्यायालयों की पत्रावली / पत्रावलियों से की जा सकती है।"



न्यायालय :- उपजिलाधिकारी
मण्डल :लखनऊ , जनपद :सीतापुर , तहसील :बिसवां
कम्प्यूटरीकृत वाद संख्या:- T202210640402746
वाद संख्या:- 2746/2022
रेडिको स्पिरिट्ज इंडिया प्राइवेट लिमिटेड बनाम ग्राम सभा कन्दुनी
उत्तर प्रदेश राजस्व संहिता - 2006 , अंतर्गत धारा:- 80
" अंतिम आदेश "
आदेश तिथि:- 20/06/2022

प्रश्नगत वाद रेडिको स्पिरिट्ज इंडिया प्राइवेट लिमिटेड, कार्यालय पंजीकृत पता बरेली रोड, रामपुर, उत्तर प्रदेश द्वारा अन्तर्गत धारा 80 उ0प्र0राजस्व संहिता 2006 का प्रार्थना पत्र प्रस्तुत कर कहा गया है कि भूमि स्थित ग्राम कन्दुनी परगना व तहसील बिसवां जिला सीतापुर की गाटा संख्या 1033/0.190, 1043/0.121, 1052क/0.437, 1042/0.182, 1045/0.409, 1046क/0.146 व 1047/0.162 कुल रकबा 1.5057हे0 पर अनाज आधारित डिस्टिलरी इकाई/औद्योगिक प्रयोजन हेतु अकृषिक घोषित कराने की याचना की गयी है। प्रार्थना पत्र की जांच तहसीलदार बिसवां से करायी गयी, जांच आख्यानुसार ग्राम कन्दुनी परगना व तहसील बिसवां जिला सीतापुर की खाता संख्या 210 की गाटा संख्या 1033/0.190, 1043/0.121 कुल दो किता रकबा 0.311 हे0 में से 0.2072हे0 पर रेडिको स्पिरिट्ज इण्डिया प्राइवेट लिमिटेड पता बरेली रोड रामपुर उ0प्र0 अधिकृत हस्ताक्षरी विशाल शर्मा पुत्र आनन्द स्वारूप शर्मा नि0 20/223 नई कालोनी ज्वाला नगर रामपुर उ0प्र0 व खाता संख्या 318 की गाटा संख्या 1052क/0.437हे0 व खाता संख्या 124 की गाटा संख्या 1042/0.182, 1045/0.409, 1046क/0.146 व 1047/0.162 कुल 4 किता रकबा 0.899हे0 में से 0.86155 हे0 पर रेडिको स्पिरिट्ज इंडिया प्राइवेट लिमिटेड पता बरेली रोड, रामपुर, उत्तर प्रदेश अधिकृत हस्ताक्षरी दिनेश कुमार गुप्ता पुत्र रामकरन गुप्ता नि0हा0न0 714 फस्ट फ्लोर शास्त्री नगर उत्तर पश्चिमी नई दिल्ली के नाम बतौर संक्रमणीय भूमिधर दर्ज है। उक्त गाटा संख्या कुल 7 किता रकबा 1.5057हे0 पर अनाज आधारित डिस्टिलरी इकाई स्थापना हेतु निर्माण कार्य हो रहा है। मौके के फोटोग्राफ संलग्न है। उक्त गाटा संख्याओं पर कृषि कार्य, बागवानी, पशुपालन, मत्स्य पालन, फूलों की खेती, मधुमक्खी पालन, कुक्कुट पालन नहीं किया जाता है। उक्त गाटा संख्याओं का अकृषिक घोषित करने से सार्वजनिक न्यूसेन्स की संभावना नहीं है और न ही सार्वजनिक स्वास्थ्य एवं सुरक्षा पर कोई प्रतिकूल प्रभाव पड़ने की संभावना है। उक्त दोनों मिनजुमला गाटों के सहखातेदारों के द्वारा अनापत्ति व वहमी बटवारा के शपथपत्र दिये गये है। शपथ पत्र देने वाले खातेदारों के गाटा संख्या 1047ख, 1042ख, 1052ख है गाटा संख्या 1046ख रकबा 0.040हे0 बंजर के नाम दर्ज है। आवेदित भूमि सीलिंग, पट्टे, गॉव सभा एवं सुरक्षित श्रेणी की नहीं है। तहसीलदार बिसवां की आख्या के आधार पर वाद दर्ज रजिस्टर किया गया। वर्तमान में प्रचलित/निर्धारित सर्किल रेट 20,00,000रुपये के अनुसार उक्त गाटा संख्या की कुल मालियत 30,11,400 रुपये होती है। भूमि की मालियत का एक प्रतिशत 30,114 (तीस हजार एक सौ चैदह रुपये) न्याय शुल्क तथा मालियत का एक प्रतिशत 30,114रुपये उद्घोषणा शुल्क के रूप में चालान द्वारा कोषागार मे जमा कराया गया। तहसीलदार बिसवां की आख्या एवं पत्रावली पर उपलब्ध साक्ष्यों का सम्यक् अनुशीलन किया गया। जिससे मैं इस निष्कर्ष पर पहुँचता हूँ कि भूमि स्थित ग्राम कन्दुनी परगना व तहसील बिसवां जिला सीतापुर की खाता संख्या 210 की गाटा संख्या 1033/0.190, 1043/0.121 व खाता संख्या 318 की गाटा संख्या 1052क/0.437 व खाता संख्या 124 की गाटा संख्या 1042/0.182, 1045/0.409, 1046क/0.146 व 1047क/0.162 को उ0प्र0 राजस्व संहिता 2006 की धारा 80(2) के अन्तर्गत अकृषिक घोषित किये जाने योग्य है। अतः निम्न आदेश पारित किया जाता है।

आदेश

ग्राम कन्दुनी परगना व तहसील बिसवां जिला सीतापुर की खाता संख्या 210 की गाटा संख्या 1033/0.190, 1043/0.121 व खाता संख्या 318 की गाटा संख्या 1052क/0.437 व खाता संख्या 124 की गाटा संख्या 1042/0.182, 1045/0.409, 1046क/0.146 व 1047क/0.162 को उ0प्र0 राजस्व संहिता 2006 की धारा 80(2) के अन्तर्गत अकृषिक घोषित किया जाता है। यदि कोई प्रतिकूल तथ्य संज्ञान मे आता है तो यह आदेश स्वतः निरस्त माना जाये। परवाना अमलदरामद जारी हो। पत्रावली बाद आवश्यक कार्यवाही दाखिल दफत्र हो।

(पी0एल0 मौर्य)
उप जिलाधिकारी



बिसवां-सीतापुर।

Disclaimer :

उपरोक्त सूचना मात्र सूचनार्थ है तथा राजस्व न्यायालय कम्प्यूटरीकृत प्रबन्धन प्रणाली (RCCMS) में उपलब्ध अद्यतन सूचना पर आधारित है , इस सूचना की कोई विधिक मान्यता नहीं होगी। वास्तविक सूचना की पुष्टि सम्बंधित न्यायलय / न्यायालयों की पत्रावली / पत्रावलियों से की जा सकती है।"



GROUND WATER DEPARTMENT

(Namami Gange & Rural Water Supply Department)

Ministry of Jal Shakti

Government of Uttar Pradesh

Form 8 (C)

[See Rule 8(1)]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE FOR SINKING OF NEW / EXISTING WELL FOR INDUSTRIAL/ COMMERCIAL/ INFRASTRUCTURAL OR BULK USER OF GROUND WATER

[Under Section 14 of the Uttar Pradesh Ground Water Management and Regulation Act, 2019.]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE NO: NOC045411

VALID FROM 02/08/2022 TO 01/08/2027

{UIS10(1) of the Uttar Pradesh Ground Water Management and Regulation Act, 2019}

Registration No.: 202206000315			
Name of the Owner	SUBODH KUMAR SHARMA		
Designation पद	PRESIDENT(OPERATIONS)	Company Name कंपनी का नाम	RADICO KHAITAN LIMITED DISTILLERY UNIT SITAPUR
Company Address कंपनी का पता	VILLAGE KANDUNI, TEHSIL BISWAN, DISTRICT SITAPUR	Authorization Letter प्राधिकार पत्र	Download
Address of the Applicant	VILLAGE KANDUNI, TEHSIL BISWAN, DISTRICT SITAPUR	Application Form Serial No.	STPR0622NIN0040
Date of Submission	07/06/2022	Specimen Signature	
Location Particulars			
District	Sitapur	Block	BISWAN
Plot No./Khasra No.	1106 TO 1120 AND OTHERS	Municipality/Corporation	No
Ward No./Holding No.			N/A
Particular of the Proposed Well and Pumping Device			
Date of Construction/Sinking of the Well	08/06/2022		
Type of Well	Tube Well/Boring	Depth of the Well (In meter)	110.00
Purpose of well	Industrial	Assembly Size(For Tube Well)	
Strainer Position (For Tube Well)			
Type of Pump Used	Submersible	H.P. of the Pump	41.00
Operational Device	Electric Motor	Rate of Withdrawal (m³/hr.)	156.00
Date of Energization (In Case of Electric Pump)	01/06/2022		

Maximum Allowable Rate of Withdrawal (m³/hr.):	156.00	Maximum Allowable Running Hours Per Day:	4.00
Maximum Allowable Annual Extraction of Ground Water:	218400.00	Recharge Required	109200.00

- This No-Objection certificate authorizes the owner applicant (user) to sink a well in the location specified at Sl. (2) for extraction of ground water at a rate not exceeding that as shown at Sl. (3j), for Running Hours per day as shown at Sl. (3k), and for maximum allowable annual extraction of ground water as shown at Sl. (3k) and is valid subject to the observance of the conditions stated overleaf.
- Holder of this NOC is hereby directed to assure annual recharge of 109200.00 cubic meter, as specified under the application form.

GENERAL CONDITIONS:

- Holder of this NOC is hereby directed to fill from 1(A) for registering his/her well within 90 days as mentioned in application form shall only started after registration of his/her NOC.
- In case of any change of ownership of the proposed well, fresh authorization has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated at SL (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this authorization
- For the purpose of measuring and recording the quantity of ground water extracted, every said user shall affix digital water flow meters (conforming to BIS/ IS standards) having telemetry system in the abstraction structure, which record rate and quantum of extraction, at outlet of pumping devices and it shall be presumed that the quantity recorded by the meter has been extracted by the said user, until the contrary is proved. The rate of extraction of ground water from the well as shown in item 3(k) shall not exceed to the recorded rate from water meters
- The concerned Authority reserves the right to stop extraction of ground water from the well due to quality hazards or any other reasons, if the situation so demands
- In case of any change of ownership of the existing well, fresh registration has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the existing well as indicated at Sl. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this registration
- In case, any of the particulars I information furnished by the applicant in his application for issuance of this registration is found to be incorrect during verification at any subsequent stage , this registration is liable for cancellation.
- The Certificate of Authorization/ NOC shall be valid for a period of five years from the date of issue. The applicant shall have to apply for renewal through a fresh application, at least ninety days prior to expiry of its validity.
- Construction of piezometers and installation of digital water level recorders with telemetry shall be mandatory for user. Depth and zone tapped of piezometer should be commensurate with that of the pumping well. The data, obtained from digital water level recorders shall be made available to this office on monthly basis
- **Guidelines for Installation of Piezometers and their Monitoring**

Piezometer is a borewell /tubewell used only for measuring the water level by lowering the tape/ sounder or automatic water level measuring equipment. It is also used to take water sample for water quality testing when ever needed. General guidelines for installation of piezometers are as follows:

- The piezometer is to be installed/constructed at the minimum of 50 m distance from the pumping well through which ground water is being withdrawn. The diameter of the piezometer should be about 4” to 6”.
- The depth of the piezometer should be same as is case of the pumping well from which ground water is being abstracted. If, more than one piezometers are installed the second piezometer should monitor the shallow ground water regime. It will facilitate shallow as well as deeper ground water aquifer monitoring.
- No. of piezometers to be constructed & Type of water level monitoring mechanism shall be as per below table:

S.No	Quantum of Ground water withdrawal (cum/day)	No.of piezometers required	Monitoring Mechanism	
			Manual	DWLR with Telemetry
1	< 10	0	0	0
2	11 - 50	1	1	0
3	50- 500	1	0	1
4	> 500	2	0	2

- The measuring frequency should be monthly and accuracy of measurement should be up to cm. the reported measurement should be given in meter upto two decimal.
- For measurement of water level sounder or automatic water level recorder (AWLR)/ Digital Automatic water level recorder (DWLR) with telemetry system should be used for accuracy.
- The measurement of water level in piezometer should be taken, only after the pumping from the surrounding tube wells has been stopped for about four to six hours.

- o All the details regarding coordinates, reduced level (with respect to mean level), depth, zone tapped and assembly lowered should be provided for bringing the piezometer into the Hydrograph Monitoring System for Ground Water Department, Uttar Pradesh, and for its validation.
- o The ground water quality has to be monitored twice in a year during pre-monsoon (May/June) and post-monsoon (October/November) periods. Quality may be got analyzed from NABL approved lab. Besides, one sample (1 lt capacity bottle) to the concerned Director, Ground Water Department, Uttar Pradesh, for chemical analysis.
- o A Permanent display board should be installed at piezometer/Tube wells site for providing the location, piezometer/ tube well number, depth and zone tapped of piezometer/tube well for standard referencing and identification.
- o Any other site specific requirement regarding safety and access for measurement may be taken care of.
- Any other condition(s) that may be imposed by the concerned Authority.
- In case, any of the particulars / information furnished by the applicant in his application for issuance of this permit is found to be incorrect during verification at any subsequent stage, this permit is liable for cancellation.
-
- **SPECIFIC CONDITIONS:**
- **(A) For Industrial User:** No Objection Certificate for ground water extraction by industries shall be granted subject to the following specific conditions:
 - i) No Objection Certificate shall be granted only in such cases where local government water supply agencies are not able to supply the desired quantity of water.
 - ii) All industries shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
 - iii) All industries abstracting ground water in excess of 100 m³/d shall be required to undertake annual water audit through Confederation of Indian Industries (CII)/ Federation Indian Chamber of Commerce and Industry (FICCI)/ National Productivity Council (NPC)/ PHD Chamber of Commerce & Industries certified auditors and submit audit reports within three months of completion of the same to Ground Water Department Uttar Pradesh. All such industries shall be required to reduce their ground water use by at least 20% over the next five years through appropriate means.
 - iv) Construction of observation well(s) (piezometer)(s) within the premises and installation of appropriate water level monitoring mechanism as mentioned in General Condition no.10 shall be mandatory for industries drawing/ proposing to draw more than 10 m³ /day of ground water and. Monitoring of water level shall be done by the project proponent. The piezometer (observation well) shall be constructed at a minimum distance of 50 m from the bore well/production well. Depth and aquifer zone tapped in the piezometer shall be the same as that of the pumping well/ wells. Monthly water level data shall be submitted online to the Ground Water Department, UP.
 - v) The proponent shall be required to adopt roof top rain water harvesting/ recharge in the project premises. Industries which are likely to pollute ground water (chemical, pharmaceutical, dyes, pigments, paints, textiles, tannery, pesticides/ insecticides, fertilizers, slaughter house, explosives etc.) shall store the harvested rain water in surface storage tanks for use in the industry.
 - vi) Injection of treated/ untreated waste water into aquifer system is strictly prohibited.
 - vii) Industries which are likely to cause ground water pollution e.g. Tanning, Slaughter Houses, Dye, Chemical/ Petrochemical, Coal washeries, other hazardous units etc. (as per CPCB list) need to undertake necessary well head protection measures to ensure prevention of ground water pollution.
-
- **(B) Infrastructural User:** The No Objection Certificate for ground water abstraction will be granted subject to the following specific conditions:
 - i) In case of infrastructure projects that require dewatering, proponent shall be required to carry out regular monitoring of dewatering discharge rate (using a digital water flow meter) and submit the data online to Ground Water Department, UP as applicable. Monitoring records and results should be retained by the proponent for two years, for inspection or reporting as required by District Ground Water Management Council.
 - ii) Installation of Sewage Treatment Plants (STP) shall be mandatory for new projects, where ground water requirement is more than 20 m³ /day. The water from STP shall be utilized for toilet flushing, car washing, gardening etc

Date :17/08/2022

Place:Sitapur

This certificate is electronically generated and does not require digital signature



GROUND WATER DEPARTMENT

(Namami Gange & Rural Water Supply Department)

Ministry of Jal Shakti
Government of Uttar Pradesh



Form 8 (C)

[See Rule 8(1)]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE FOR SINKING OF NEW / EXISTING WELL FOR INDUSTRIAL/ COMMERCIAL/ INFRASTRUCTURAL OR BULK USER OF GROUND WATER

[Under Section 14 of the Uttar Pradesh Ground Water Management and Regulation
Act, 2019.]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE NO: NOC021622

VALID FROM 02/08/2022 TO 01/08/2027

{UIS10(1) of the Uttar Pradesh Ground Water Management and Regulation Act, 2019}

Registration No.: 202206000330			
Name of the Owner	SUBODH KUMAR SHARMA		
Designation पद	PRESIDENT(OPERATIONS)	Company Name कंपनी का नाम	RADICO KHAITAN LIMITED DISTILLERY UNIT SITAPUR
Company Address कंपनी का पता	VILLAGE KANDUNI, TEHSIL BISWAN, DISTRICT SITAPUR	Authorization Letter प्राधिकार पत्र	Download
Address of the Applicant	VILLAGE KANDUNI, TEHSIL BISWAN, DISTRICT SITAPUR	Application Form Serial No.	STPR0622NIN0041
Date of Submission	07/06/2022	Specimen Signature	
Location Particulars			
District	Sitapur	Block	BISWAN
Plot No./Khasra No.	1106 TO 1120 AND OTHERS	Municipality/Corporation	No
Ward No./Holding No.	N/A		

Particular of the Proposed Well and Pumping Device

Date of Construction/Sinking of the Well	08/06/2022		
Type of Well	Tube Well/Boring	Depth of the Well (In meter)	110.00
Purpose of well	Industrial	Assembly Size(For Tube Well)	
Strainer Position (For Tube Well)			
Type of Pump Used	Submersible	H.P. of the Pump	41.00
Operational Device	Electric Motor	Rate of Withdrawal (m³/hr.)	155.00
Date of Energization (In Case of Electric Pump)		01/06/2022	
Maximum Allowable Rate of Withdrawal (m³/hr.):	155.00	Maximum Allowable Running Hours Per Day:	4.00
Maximum Allowable Annual Extraction of Ground Water:	217000.00	Recharge Required	108500.00

- This No-Objection certificate authorizes the owner applicant (user) to sink a well in the location specified at Sl. (2) for extraction of ground water at a rate not exceeding that as shown at Sl. (3j), for Running Hours per day as shown at Sl. (3k), and for maximum allowable annual extraction of ground water as shown at Sl. (3k) and is valid subject to the observance of the conditions stated overleaf.
- Holder of this NOC is hereby directed to assure annual recharge of 108500.00 cubic meter, as specified under the application form.

GENERAL CONDITIONS:

- Holder of this NOC is hereby directed to fill from 1(A) for registering his/her well within 90 days as mentioned in application form shall only started after registration of his/her NOC.
- In case of any change of ownership of the proposed well, fresh authorization has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated at SL (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this authorization
- For the purpose of measuring and recording the quantity of ground water extracted, every said user shall affix digital water flow meters (conforming to BIS/ IS standards) having telemetry system in the abstraction structure, which record rate and quantum of extraction, at outlet of pumping devices and it shall be presumed that the quantity recorded by the meter has been extracted by the said user, until the contrary is proved. The rate of extraction of ground water from the well as shown in item 3(k) shall not exceed to the recorded rate from water meters
- The concerned Authority reserves the right to stop extraction of ground water from the well due to quality hazards or any other reasons, if the situation so demands
- In case of any change of ownership of the existing well, fresh registration has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the existing well as indicated at Sl. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this registration

- In case, any of the particulars I information furnished by the applicant in his application for issuance of this registration is found to be incorrect during verification at any subsequent stage , this registration is liable for cancellation.
- The Certificate of Authorization/ NOC shall be valid for a period of five years from the date of issue. The applicant shall have to apply for renewal through a fresh application, at least ninety days prior to expiry of its validity.
- Construction of piezometers and installation of digital water level recorders with telemetry shall be mandatory for user. Depth and zone tapped of piezometer should be commensurate with that of the pumping well. The data, obtained from digital water level recorders shall be made available to this office on monthly basis
- **Guidelines for Installation of Piezometers and their Monitoring**

Piezometer is a borewell /tubewell used only for measuring the water level by lowering the tape/ sounder or automatic water level measuring equipment. It is also used to take water sample for water quality testing when ever needed. General guidelines for installation of piezometers are as follows:

- The piezometer is to be installed/constructed at the minimum of 50 m distance from the pumping well through which ground water is being withdrawn. The diameter of the piezometer should be about 4" to 6".
- The depth of the piezometer should be same as is case of the pumping well from which ground water is being abstracted. If, more than one piezometers are installed the second piezometer should monitor the shallow ground water regime. It will facilitate shallow as well as deeper ground water aquifer monitoring.
- No. of piezometers to be constructed & Type of water level monitoring mechanism shall be as per below table:

S.No	Quantum of Ground water withdrawal (cum/day)	No.of piezometers required	Monitring Mechanism	
			Manual	DWLR with Telemetry
1	< 10	0	0	0
2	11 - 50	1	1	0
3	50- 500	1	0	1
4	> 500	2	0	2

- The measuring frequency should be monthly and accuracy of measurement should be up to cm. the reported measurement should be given in meter upto two decimal.
- For measurement of water level sounder or automatic water level recorder (AWLR)/ Digital Automatic water level recorder (DWLR) with telemetry system should be used for accuracy.
- The measurement of water level in piezometer should be taken, only after the pumping from the surrounding tube wells has been stopped for about four to six hours.
- All the details regarding coordinates, reduced level (with respect to mean level), depth, zone taped and assembly lowered should be provided for bringing the piezometer into the Hydrograph Monitoring System for Ground Water Department, Uttar Pradesh, and for its validation.
- The ground water quality has to be monitored twice in a year during pre-monsoon (May/June) and post-monsoon (October/November) periods. Quality may be got analyzed from NABL approved lab. Besides, one sample (1 lt capacity bottle) to the concerned Director, Ground Water Department, Uttar Pradesh, for chemical analysis.
- A Permanent display board should be installed at piezometer/Tube wells site for providing the location, piezometer/ tube well number, depth and zone tapped of piezometer/tube well for standard referencing and identification.
- Any other site specific requirement regarding safety and access for measurement may be taken care of.
- Any other condition(s) that may be imposed by the concerned Authority.
- In case, any of the particulars I information furnished by the applicant in his application for issuance of this permit is found to be incorrect during verification at any subsequent stage, this permit is liable for cancellation.
-
- **SPECIFIC CONDITIONS:**
- **(A) For Industrial User:** No Objection Certificate for ground water extraction by industries shall be granted subject to the following specific conditions:
 - i) No Objection Certificate shall be granted only in such cases where local government water supply agencies are not able to supply the desired quantity of water.
 - ii) All industries shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.

- iii) All industries abstracting ground water in excess of 100 m³/d shall be required to undertake annual water audit through Confederation of Indian Industries (CII)/ Federation Indian Chamber of Commerce and Industry (FICCI)/ National Productivity Council (NPC)/ PHD Chamber of Commerce & Industries certified auditors and submit audit reports within three months of completion of the same to Ground Water Department Uttar Pradesh. All such industries shall be required to reduce their ground water use by at least 20% over the next five years through appropriate means.
- iv) Construction of observation well(s) (piezometer)(s) within the premises and installation of appropriate water level monitoring mechanism as mentioned in General Condition no.10 shall be mandatory for industries drawing/ proposing to draw more than 10 m³ /day of ground water and. Monitoring of water level shall be done by the project proponent. The piezometer (observation well) shall be constructed at a minimum distance of 50 m from the bore well/production well. Depth and aquifer zone tapped in the piezometer shall be the same as that of the pumping well/ wells. Monthly water level data shall be submitted online to the Ground Water Department, UP.
- v) The proponent shall be required to adopt roof top rain water harvesting/ recharge in the project premises. Industries which are likely to pollute ground water (chemical, pharmaceutical, dyes, pigments, paints, textiles, tannery, pesticides/ insecticides, fertilizers, slaughter house, explosives etc.) shall store the harvested rain water in surface storage tanks for use in the industry.
- vi) Injection of treated/ untreated waste water into aquifer system is strictly prohibited.
- vii) Industries which are likely to cause ground water pollution e.g. Tanning, Slaughter Houses, Dye, Chemical/ Petrochemical, Coal washeries, other hazardous units etc. (as per CPCB list) need to undertake necessary well head protection measures to ensure prevention of ground water pollution.
-
- **(B) Infrastructural User:** The No Objection Certificate for ground water abstraction will be granted subject to the following specific conditions:
 - i) In case of infrastructure projects that require dewatering, proponent shall be required to carry out regular monitoring of dewatering discharge rate (using a digital water flow meter) and submit the data online to Ground Water Department, UP as applicable. Monitoring records and results should be retained by the proponent for two years, for inspection or reporting as required by District Ground Water Management Council.
 - ii) Installation of Sewage Treatment Plants (STP) shall be mandatory for new projects, where ground water requirement is more than 20 m³ /day. The water from STP shall be utilized for toilet flushing, car washing, gardening etc

Date :17/08/2022

Place:Sitapur

This certificate is electronically generated and does not require digital signature



GROUND WATER DEPARTMENT

(Namami Gange & Rural Water Supply Department)

Ministry of Jal Shakti
Government of Uttar Pradesh



Form 8 (C)

[See Rule 8(1)]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE FOR SINKING OF NEW / EXISTING WELL FOR INDUSTRIAL/ COMMERCIAL/ INFRASTRUCTURAL OR BULK USER OF GROUND WATER

[Under Section 14 of the Uttar Pradesh Ground Water Management and Regulation Act, 2019.]

AUTHORIZATION/ NO-OBJECTION CERTIFICATE NO: NOC031338

VALID FROM 02/08/2022 TO 01/08/2027

{UIS10(1) of the Uttar Pradesh Ground Water Management and Regulation Act, 2019}

Registration No.: 202206000332			
Name of the Owner	SUBODH KUMAR SHARMA		
Designation पद	PRESIDENT(OPERATIONS)	Company Name कंपनी का नाम	RADICO KHAITAN LIMITED DISTILLERY UNIT SITAPUR
Company Address कंपनी का पता	VILLAGE KANDUNI, TEHSIL BISWAN, DISTRICT SITAPUR	Authorization Letter प्राधिकार पत्र	Download
Address of the Applicant	VILLAGE KANDUNI, TEHSIL BISWAN, DISTRICT SITAPUR	Application Form Serial No.	STPR0622NIN0042
Date of Submission	07/06/2022	Specimen Signature	
Location Particulars			
District	Sitapur	Block	BISWAN
Plot No./Khasra No.	1106 TO 1120 AND OTHERS	Municipality/Corporation	No
Ward No./Holding No.	N/A		

Particular of the Proposed Well and Pumping Device

Date of Construction/Sinking of the Well	08/06/2022		
Type of Well	Tube Well/Boring	Depth of the Well (In meter)	110.00
Purpose of well	Industrial	Assembly Size(For Tube Well)	
Strainer Position (For Tube Well)			
Type of Pump Used	Submersible	H.P. of the Pump	41.00
Operational Device	Electric Motor	Rate of Withdrawal (m³/hr.)	150.00
Date of Energization (In Case of Electric Pump)		01/06/2022	
Maximum Allowable Rate of Withdrawal (m³/hr.):	150.00	Maximum Allowable Running Hours Per Day:	5.00
Maximum Allowable Annual Extraction of Ground Water:	262500.00	Recharge Required	131250.00

- This No-Objection certificate authorizes the owner applicant (user) to sink a well in the location specified at Sl. (2) for extraction of ground water at a rate not exceeding that as shown at Sl. (3j), for Running Hours per day as shown at Sl. (3k), and for maximum allowable annual extraction of ground water as shown at Sl. (3k) and is valid subject to the observance of the conditions stated overleaf.
- Holder of this NOC is hereby directed to assure annual recharge of 131250.00 cubic meter, as specified under the application form.

GENERAL CONDITIONS:

- Holder of this NOC is hereby directed to fill from 1(A) for registering his/her well within 90 days as mentioned in application form shall only started after registration of his/her NOC.
- In case of any change of ownership of the proposed well, fresh authorization has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated at SL (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this authorization
- For the purpose of measuring and recording the quantity of ground water extracted, every said user shall affix digital water flow meters (conforming to BIS/ IS standards) having telemetry system in the abstraction structure, which record rate and quantum of extraction, at outlet of pumping devices and it shall be presumed that the quantity recorded by the meter has been extracted by the said user, until the contrary is proved. The rate of extraction of ground water from the well as shown in item 3(k) shall not exceed to the recorded rate from water meters
- The concerned Authority reserves the right to stop extraction of ground water from the well due to quality hazards or any other reasons, if the situation so demands
- In case of any change of ownership of the existing well, fresh registration has to be obtained.
- No change of location, design, rate of withdrawal and pumping device in respect of the existing well as indicated at Sl. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this registration

- In case, any of the particulars I information furnished by the applicant in his application for issuance of this registration is found to be incorrect during verification at any subsequent stage , this registration is liable for cancellation.
- The Certificate of Authorization/ NOC shall be valid for a period of five years from the date of issue. The applicant shall have to apply for renewal through a fresh application, at least ninety days prior to expiry of its validity.
- Construction of piezometers and installation of digital water level recorders with telemetry shall be mandatory for user. Depth and zone tapped of piezometer should be commensurate with that of the pumping well. The data, obtained from digital water level recorders shall be made available to this office on monthly basis
- **Guidelines for Installation of Piezometers and their Monitoring**

Piezometer is a borewell /tubewell used only for measuring the water level by lowering the tape/ sounder or automatic water level measuring equipment. It is also used to take water sample for water quality testing when ever needed. General guidelines for installation of piezometers are as follows:

- The piezometer is to be installed/constructed at the minimum of 50 m distance from the pumping well through which ground water is being withdrawn. The diameter of the piezometer should be about 4" to 6".
- The depth of the piezometer should be same as is case of the pumping well from which ground water is being abstracted. If, more than one piezometers are installed the second piezometer should monitor the shallow ground water regime. It will facilitate shallow as well as deeper ground water aquifer monitoring.
- No. of piezometers to be constructed & Type of water level monitoring mechanism shall be as per below table:

S.No	Quantum of Ground water withdrawal (cum/day)	No.of piezometers required	Monitiring Mechanism	
			Manual	DWLR with Telemetry
1	< 10	0	0	0
2	11 - 50	1	1	0
3	50- 500	1	0	1
4	> 500	2	0	2

- The measuring frequency should be monthly and accuracy of measurement should be up to cm. the reported measurement should be given in meter upto two decimal.
- For measurement of water level sounder or automatic water level recorder (AWLR)/ Digital Automatic water level recorder (DWLR) with telemetry system should be used for accuracy.
- The measurement of water level in piezometer should be taken, only after the pumping from the surrounding tube wells has been stopped for about four to six hours.
- All the details regarding coordinates, reduced level (with respect to mean level), depth, zone taped and assembly lowered should be provided for bringing the piezometer into the Hydrograph Monitoring System for Ground Water Department, Uttar Pradesh, and for its validation.
- The ground water quality has to be monitored twice in a year during pre-monsoon (May/June) and post-monsoon (October/November) periods. Quality may be got analyzed from NABL approved lab. Besides, one sample (1 lt capacity bottle) to the concerned Director, Ground Water Department, Uttar Pradesh, for chemical analysis.
- A Permanent display board should be installed at piezometer/Tube wells site for providing the location, piezometer/ tube well number, depth and zone tapped of piezometer/tube well for standard referencing and identification.
- Any other site specific requirement regarding safety and access for measurement may be taken care of.
- Any other condition(s) that may be imposed by the concerned Authority.
- In case, any of the particulars I information furnished by the applicant in his application for issuance of this permit is found to be incorrect during verification at any subsequent stage, this permit is liable for cancellation.
-
- **SPECIFIC CONDITIONS:**
- **(A) For Industrial User:** No Objection Certificate for ground water extraction by industries shall be granted subject to the following specific conditions:
 - i) No Objection Certificate shall be granted only in such cases where local government water supply agencies are not able to supply the desired quantity of water.
 - ii) All industries shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.

- iii) All industries abstracting ground water in excess of 100 m³/d shall be required to undertake annual water audit through Confederation of Indian Industries (CII)/ Federation Indian Chamber of Commerce and Industry (FICCI)/ National Productivity Council (NPC)/ PHD Chamber of Commerce & Industries certified auditors and submit audit reports within three months of completion of the same to Ground Water Department Uttar Pradesh. All such industries shall be required to reduce their ground water use by at least 20% over the next five years through appropriate means.
- iv) Construction of observation well(s) (piezometer)(s) within the premises and installation of appropriate water level monitoring mechanism as mentioned in General Condition no.10 shall be mandatory for industries drawing/ proposing to draw more than 10 m³ /day of ground water and. Monitoring of water level shall be done by the project proponent. The piezometer (observation well) shall be constructed at a minimum distance of 50 m from the bore well/production well. Depth and aquifer zone tapped in the piezometer shall be the same as that of the pumping well/ wells. Monthly water level data shall be submitted online to the Ground Water Department, UP.
- v) The proponent shall be required to adopt roof top rain water harvesting/ recharge in the project premises. Industries which are likely to pollute ground water (chemical, pharmaceutical, dyes, pigments, paints, textiles, tannery, pesticides/ insecticides, fertilizers, slaughter house, explosives etc.) shall store the harvested rain water in surface storage tanks for use in the industry.
- vi) Injection of treated/ untreated waste water into aquifer system is strictly prohibited.
- vii) Industries which are likely to cause ground water pollution e.g. Tanning, Slaughter Houses, Dye, Chemical/ Petrochemical, Coal washeries, other hazardous units etc. (as per CPCB list) need to undertake necessary well head protection measures to ensure prevention of ground water pollution.
-
- **(B) Infrastructural User:** The No Objection Certificate for ground water abstraction will be granted subject to the following specific conditions:
 - i) In case of infrastructure projects that require dewatering, proponent shall be required to carry out regular monitoring of dewatering discharge rate (using a digital water flow meter) and submit the data online to Ground Water Department, UP as applicable. Monitoring records and results should be retained by the proponent for two years, for inspection or reporting as required by District Ground Water Management Council.
 - ii) Installation of Sewage Treatment Plants (STP) shall be mandatory for new projects, where ground water requirement is more than 20 m³ /day. The water from STP shall be utilized for toilet flushing, car washing, gardening etc

Date :17/08/2022

Place:Sitapur

This certificate is electronically generated and does not require digital signature



RADICO KHAITAN LIMITED (DISTILLERY UNIT)

Village-Kanduni, Tehsil-Biswan, Dist. Sitapur (U.P.)
Daily Borewell Water Consumption Log Sheet

Month
MOU-M3/Day

Date	Borewell No. 01 (DWM Flood)			Borewell No. 02			Borewell No. 03			Total Consumption (BW1 + BW2 + BW3)	Remarks
	Initial Reading	Final Reading	Quantity	Initial Reading	Final Reading	Quantity	Initial Reading	Final Reading	Quantity		
1.09.23	000	1534	1534	-	-	000	-	-	000		
02.09.23	1534	3219	1885	-	-	000	-	-	000		
03.09.23	3419	5029	1610	-	-	000	-	-	000		
04.09.23	5029	6628	1599	-	-	000	-	-	000		
05.09.23	6628	8222	1594	-	-	000	-	-	000		
06.09.23	8222	9480	1258	-	-	000	-	-	000		
07.09.23	9480	11386	1906	-	-	000	-	-	000		
08.09.23	11386	12923	1537	-	-	000	-	-	000		
09.09.23	12923	14863	1940	-	-	000	-	-	000		
10.09.23	14863	16404	1541	-	-	000	-	-	000		
11.09.23	16404	18004	1600	-	-	000	-	-	000		
12.09.23	18004	18004	000	-	-	000	-	-	000		
13.09.23	18004	18116	712	-	-	000	-	-	000		
14.09.23	18116	20246	1530	-	-	000	-	-	000		
15.09.23	20246	22035	1789	-	-	000	-	-	000		
16.09.23	22035	23703	1668	-	-	000	-	-	000		
17.09.23	23703	25211	1508	-	-	000	-	-	000		
18.09.23	25211	26745	1534	-	-	000	-	-	000		
19.09.23	26745	28552	1807	-	-	000	-	-	000		
20.09.23	28552	30162	1610	-	-	000	-	-	000		
21.09.23	30162	31755	1593	-	-	000	-	-	000		
22.09.23	31755	33491	1736	-	-	000	-	-	000		
23.09.23	33491	35115	1624	-	-	000	-	-	000		
24.09.23	35115	36733	1618	-	-	000	-	-	000		
28.09.23	36733	38565	1832	-	-	000	-	-	000		

Authorised Signature

Total Borewell Water Abstraction for the Month :-



Radico

RADICO KHAITAN LIMITED (DISTILLERY UNIT)

Village-Kanduni, Tehsil-Biswan, Dist. Sitapur (U.P.)
 Daily Borewell Water Consumption Log Sheet

Month: ...
 Sabit: ...
 MOU-M3/Day

Date	Borewell No. 01			Borewell No. 02			Borewell No. 03			Total Consumption (BW1 + BW2 + BW3)	Remarks
	Initial Reading	Final Reading	Quantity	Initial Reading	Final Reading	Quantity	Initial Reading	Final Reading	Quantity		
26.09.23	38565	38791	226	-	-	-	-	-	-	226	
27.09.23	38791	39385	594	-	-	-	-	-	-	594	
28.09.23	39385	40375	990	-	-	-	-	-	-	1266	
29.09.23	40375	41641	1266	-	-	-	-	-	-	894	
30.09.23	41641	42535	894	-	-	-	-	-	-	42535	m3
		42535									

Authorised Signature

Total Borewell Water Abstraction for the Month :-

ELECTROSTATIC PRECIPITATOR CONTROL LOGIC

CUSTOMER : M/s RADICO KHAITAN LTD, SITAPUR

APPLICATION : ESP FOR 90 TPH AFBC BOILER

CONTRACTOR : THERMAX LTD., ENVIRO DIVISION.

DOC. NO. : E201091003

REFERENCE : P & I DIAGRAM NO : E201091004


CONSULTANT : N.A

Prajakta
prajakta.dixit
2022.05.12
09:41:47 +05'30'

REV NO.	DESCRIPTION	PREPARED BY	CHECKED BY	DATE

THIS DOCUMENT IS THE OUTPUT OF VALIDATED COMPUTER PROGRAM AND DOES NOT REQUIRE MANUAL SIGNATURES.

THIS IS A PROPRIETARY DOCUMENT OF THERMAX LIMITED.

APPLICATION	ESP FOR 90 TPH AFBC BOILER	CONSULTANT	N.A						
CUSTOMER:	M/s RADICO KHAITAN LTD, SITAPUR	OC NO:	E201091	STD NO:	N/A				
THERMAX LIMITED ENVIRO DIVISION		PREPARED BY			CHECKED BY	APPROVED BY			
		NAME	SIGN	DATE	NAME	SIGN	DATE		
		SD	-SD-	11.05.22	PPD	-SD- 11.05.22	PPD	-SD-	11.05.22

DESCRIPTION :	DOC /DRG. NO:	REV. NO
ELECTROSTATIC PRECIPITATOR CONTROL LOGIC	E201091003	0
	SHEET 1 OF 7	

1 SYSTEM DESCRIPTION :

This is flue gas cleaning system for cleaning the gases from "90 TPH AFBC BOILER"
 The system consists of ESP model TE-1.
 The hot gases having max. Temperature of 150 °C is allowed to pass through the inlet nozzle.
 Gas distribution plates inside the nozzle ensure equal distribution of the gases through different parallel paths formed by the arrangement of collecting plates and e-Tubes.
 The collecting area is divided into 3 sections. All sections are fed by TR sets mounted on the ESP rooftop, the mA rating of TR Sets as mentioned in the table below. High voltage of 95 KV-DC (peak value) is applied to the e-Tubes. The ash gets collected on the collecting plates.

Field No.	TR Set No	mA Rating	kV Rating
Field-1	TR Set-1	600	95
Field-2	TR Set-2	600	95
Field-3	TR Set-3	600	95

The collecting plates and e-Tubes are continuously rapped from the top by rappers whose operation is controlled by PLC based Microtapper panel located in the control room.
 Due to rapping, the ash collected on collecting plates is dislodged and collected in the hopper. The ash is discharged to the dust discharge equipment through hopper.

2 MODE OF OPERATION :

There are two modes of operation namely Manual and Automatic Mode. This can be selected with key selector switch provided on respective panel door.

2.01 Manual Mode of operation :

Under Manual Mode of operation each equipment can be started and stopped from the respective panel with push button or touch buttons (in case of T/R set) provided the selector switch is in LOCAL position.

2.02 Automatic Mode of operation :

Under Automatic Mode of operation each TR set and other equipment feeders of motor control center can be started and stopped from DCS, provided the corresponding selector switch is in REMOTE position.

3 CONTROL AND INTERLOCK PROVIDED FOR THE SYSTEM :

3.01 Mechanical door interlock system :

The system ensures that no person can enter inside the ESP unless all the Transformer Rectifier units are de-energised, isolated and grounding switches of TR sets GS-1 to GS-3 are in ESP-grounded position.

3.02 Thermostatically controlled Insulator Heater :


700 W air heater is provided around each support insulator. A thermostat is provided in the pent house (TS-4) to maintain the temperature at 85 °C.

3.03 Thermostatically controlled hopper heaters :

Hopper heating pads (HH-1 to HH-3) are provided in bottom one-third part of the hoppers to avoid condensation & ensure free flow of ash. The heating pads are thermostatically controlled.

THIS DOCUMENT IS THE OUTPUT OF VALIDATED COMPUTER PROGRAM AND DOES NOT REQUIRE MANUAL SIGNATURES.

THIS IS A PROPRIETARY DOCUMENT OF THERMAX LIMITED.

THERMAX LIMITED ENVIRO DIVISION 	APPLICATION	ESP FOR 90 TPH AFBC BOILER		
	CUSTOMER:	M/s RADICO KHAITAN LTD, SITAPUR		
	CONSULTANT	N.A		
	OC NO:	E201091	STD NO:	N/A
DESCRIPTION :		DOC /DRG. NO:		REV.
ELECTROSTATIC PRECIPITATOR CONTROL LOGIC		E201091003		NO
		SHEET 2 OF 7		0

(TS-1 to TS-3) The temperature is maintained upto 110°C Max. (Adjustable).

3.04 Temperature monitoring system for hopper :

In order to detect the smoldering / fire in the Hoppers, RTD (PT-100) (TE-1 to TE-3) shall be in each Hopper. These RTD output shall be connected to temp. indicating controller (TIC-1 to TIC-3) mounted on MCC. There are two set points of temp. indicating controller, which will be used for following actions with the setting as mentioned below.

First set point : Hopper Temperature High = Operating temperature +20°C :

Actions:- Audio Visual alarm in MCC Panel & Alarm signal to control room.

(Auxiliary Contact of Hopper Temperature High relay will be provided in MCC panel for Alarm signal for control room).

Second set point : Hopper temperature high high = Operating Temperature + 100°C

Actions:- Audio Visual alarm in MCC Panel & Alarm signal to control room.

Trip respective TR Set Field

Trip ID Fan

(Auxiliary contact of Hopper temperature high high relay will be provided in the MCC panel for alarm signal for control room, for tripping the respective TR Set and or tripping the ID Fan)

3.05 Temperature monitoring at inlet Nozzle :

In order to detect the smoldering / fire at ESP inlet, K type Thermocouple (TC) shall be provided in inlet nozzle & before first field. These Thermocouple input shall be connected to temp. indicating controller (TIC-4) mounted on Motor Control Center. There are two set points of temp. indicating controller which will be used for following actions with the setting as follow:

First set point : ESP inlet temperature high = Operating temperature + 20°C.

Action – Audio visual Alarm in Motor Control Center & Alarm signal to control room.

(Auxiliary contact of ESP inlet temperature high relay will be provided in Motor Control Center for Alarm signal for control room)

Second set point : ESP inlet temperature high high = Operating temperature + 100°C

Action - Audio visual Alarm in Motor control Center & Alarm signal to control room.

Trip all the TR sets.

Trip the ID Fan.

(Auxiliary contact of ESP inlet temperature high high relay will be provided in motor control center for Alarm signal for control room, trip all the TR sets and trip the ID Fan)

3.06 High & High-High Level switches in the hopper :


R.F. capacitance type level switches (LSH-1 to LSH-3 & LSHH-1 to LSHH-3) are provided in each hopper. The level switch operates as ash level inside the hopper rises & touches the level switch probe. First level switch gives signal to the audio visual alarm annunciator provided in the Motor control center to indicate high ash level in the hopper. Second level switch gives signal to the audio visual alarm annunciator provided in the Motor control center to indicate Very high ash level in the hopper & trips the respective field TR set. Even after tripping the TR set, if the ash continues to build up in hopper the operator has to take the necessary action; the auxiliary contact of High & very high hopper level relay will be provided in the Motor control center. If the very high level alarm is persisting, it is recommended to stop the system after one hour time delay. This prevents ash building up in the hoppers, which may ultimately short the e-Tubes & collecting plates. Potential free contacts are provided in ESP MCC to wire the same for system tripping / stopping & signal to DCS.

3.07 Purge Air System :

Purge air blower ensures positive air pressure inside the pent house with respect to ESP casing
The air flows along the inside surface of the support insulators thereby keeping the insulators

THIS DOCUMENT IS THE OUTPUT OF VALIDATED COMPUTER PROGRAM AND DOES NOT REQUIRE MANUAL SIGNATURES.

THIS IS A PROPRIETARY DOCUMENT OF THERMAX LIMITED.

THERMAX LIMITED ENVIRO DIVISION		APPLICATION	ESP FOR 90 TPH AFBC BOILER		
		CUSTOMER:	M/s RADICO KHAITAN LTD, SITAPUR		
		CONSULTANT	N.A		
		OC NO:	E201091	STD NO:	N/A
DESCRIPTION :		DOC /DRG. NO:		REV.	
ELECTROSTATIC PRECIPITATOR CONTROL LOGIC		E201091003		NO	
		SHEET 3 OF 7		0	

clean. All the TR sets are wired for tripping in case the Purge Air Blower Trips.

3.08 MTP (Micro Tapper Panel):

Rapper control system is designed specifically for electrostatic precipitator application. This rapper control system is designed to be used with electrical solenoid type impact Rappers. These Rappers are also called as Thermax impulse gravity impact (TIGI) Rappers. Rapping system is an "ONLINE "operation(i.e. Rappers can be turned ON, when TR sets are energised.) The working principle of the rapping system is as follows

A short duration pulse of high current amplitude is applied to the rapper solenoid coil. Once the coil is energized the rapper rod inside the coil lifts up. The longer the duration of the pulse the higher is the lift. On withdrawal of pulse the rapper rod falls down by gravity. The falling rod makes impact with the e-Tube/collecting electrodes causing the dust accumulated on it to dislodge and maintain their electric field.

The rapper coils are arranged in a matrix configuration of **8x8** The matrix arrangement reduces the PLC outputs and cable requirement and provides very efficient solution. A DC controller provides a high current & high voltage pulse of short duration.

The +Ve end of the dc controller gets connected to row and the -Ve end of the dc controller gets connected to the column. The rapper thus selected is energized and makes impact on the respective electrode.

Rapping system shall be put ON all the time when ID Fan is running irrespective of ESP is charged or not.

3.09 Hopper Vibrators :

Electromagnetic vibrators (EMV-1 to 3) are provided for each hopper to ensure free discharge of ash. Local control panel is provided for controlling of these vibrators.

3.11 Dust conveying system : (Customer scope)

Dust conveying system shall be ON (Running) all the time. If dust conveying system tripped / stopped all TR sets, all dust discharge equipment shall trip.

3.12 I.D. Fan interlock : (Customer scope)

If dust discharge equipment or screw conveyor stopped or tripped, then ID fan to be stopped or tripped & signal to DCS to be provided. Provision for this interlock to be provided in customer to ensure this interlock is implemented.


4 THEORY OF OPERATION

ESP construction & operation is based on the fact that ash particles are passed between a highly charged & grounded electrode. The particles get collected on the grounded electrode. Accordingly, the Thermax ESP is designed to

- 1) Apply a highly negative charge to gas-borne ash particles
- 2) Collect the particles on grounded metal plates, which are rapped periodically to dislodge the ash into hoppers.

THIS DOCUMENT IS THE OUTPUT OF VALIDATED COMPUTER PROGRAM AND DOES NOT REQUIRE MANUAL SIGNATURES.

THIS IS A PROPRIETARY DOCUMENT OF THERMAX LIMITED.

THERMAX LIMITED  THERMAX ENVIRO DIVISION	APPLICATION	ESP FOR 90 TPH AFBC BOILER		
	CUSTOMER:	M/s RADICO KHAITAN LTD, SITAPUR		
	CONSULTANT	N.A		
	OC NO:	E201091	STD NO:	N/A
DESCRIPTION :		DOC /DRG. NO:		REV.
ELECTROSTATIC PRECIPITATOR CONTROL LOGIC		E201091003 SHEET 4 OF 7		NO 0
FILENAME : ENV-DES-F08-1-0_ISO FORMAT FOR DOCUMENT A4				CONTROL NO. ENV/DES/F08, R0

The particles are charged by rows of vertical high-voltage electrodes mounted in parallel frames. The frames are connected at the top to the negative terminal of a high-voltage DC power supply. The collecting plates (grounded electrodes) are parallel to the rows of e-Tubes & alternate with them (plate, e-Tube frame; plate, e-Tube frame) In operation, the high potential between the negative & grounded electrodes ionizes the surrounding gas & produces a large number of negative ions. (This is known as corona effect.) These negative ions collide with the ash particles & impact their negative charges to them. The negatively charged particles then are drawn to the grounded collecting plates, from which they are periodically dislodged by means of a rapping mechanism.

5 VOLTAGE CONTROL

As the ash laden flue gas passes through the collecting electrodes and e-Tube, the ESP can be considered as a capacitance having variable di-electric strength. The di-electric strength varies due to changing parameters of the flue gases. The high D.C. voltage applied to the ESP has to be continuously adjusted to minimize sparking across the e-Tubes and collecting plates. The voltage controller provided in the Transformer Rectifier control cabinet senses the current feedback from the ESP and does the following functions.


- i. It maintains the voltage across the ESP at the spark threshold level in all the conditions to achieve maximum efficiency.
- ii. During no sparking conditions, maximum power is made available across the ESP
- iii. In case of spark, it brings down the voltage by preset value. The voltage is gradually raised to spark threshold level if no further spark is detected.
- iv. In case of arc it brings down the voltage to zero and blocks it for preset time. The voltage is restored to the preset value by fast ramp and then to the spark threshold level by slows ramp.

6 ESP START UP PROCEDURE

- 1) Energise hopper heaters and insulator heaters twelve hours prior to flue gas passing through the precipitator from Motor control Center.
- 2) Start the Dust Discharge Equipment / Rotary Air Lock valve(RAV) below the Hopper. The trip contact of Dust Discharge Equipment / RAV will be wired to trip the respective TR set.
- 3) If Dust Discharge Equipment / RAV fault persists for 2 hours, trip the system/(boiler).
- 4) About one hour before the system /(boiler) is fired, energize the e-Tube and collecting electrode rapper through the Microtapper Panel.
- 5) Start the Purge air blower from Motor control Center. If purge air system is not working trip TR sets.
- 6) Ensure all the level switches are switched on and no annunciation is persisting on the Motor control center
- 7) The high-level alarm will trip the respective TR set. If this alarm persists for one hour trip the system /(boiler).
- 8) Ensure that the system /(boiler) and ID fans are running and flue gas temperature is above the acid dew point temperature. If the flue gas temperature is less than the acide dew point temp. then damp acid sludge will form on the precipitator internals, and scaling will take-

THIS DOCUMENT IS THE OUTPUT OF VALIDATED COMPUTER PROGRAM AND DOES NOT REQUIRE MANUAL SIGNATURES.

THIS IS A PROPRIETARY DOCUMENT OF THERMAX LIMITED.

THERMAX LIMITED ENVIRO DIVISION		APPLICATION	ESP FOR 90 TPH AFBC BOILER		
		CUSTOMER:	M/s RADICO KHAITAN LTD, SITAPUR		
		CONSULTANT	N.A		
		OC NO:	E201091	STD NO:	N/A
DESCRIPTION :			DOC /DRG. NO:	REV.	
ELECTROSTATIC PRECIPITATOR CONTROL LOGIC			E201091003	NO	
			SHEET 5 OF 7	0	
FILENAME : ENV-DES-F08-1-0_ISO FORMAT FOR DOCUMENT A4			CONTROL NO. ENV/DES/F08, R0		

place. This will reduce the life of e-Tubes and collecting electrodes. If ash conveying system or ash discharge equipment trips / fail, then trip I.D. Fan.

- 9) After the flue gas temperature reaches above the acid dew point temperature the TR units should be energized. Ensure that TRCC panels are in Auto mode before switching on. After all the TR sets are energized the electrical meter readings should be observed.

7 PRECIPITATOR SHUTDOWN

- 1) During normal boiler shutdown the TR sets should be de energized before I.D. fan is switched off.
- 2) After all the TR sets are de-energized the e-Tube and collecting electrode rappers should be maintained in service for approx. two hours.
- 3) The purge air system remains in function for at least 72 hours. During short shut down (< 3 days), the purge air system remains in operation.
- 4) Rotary Air Lock valve should be in service for one hour after Microtapper panel is stopped
- 5) The Hopper Heater & insulator heater can be switch off after 24 hours. During short shut down (< 3 days), the heater remains in operation.

8 CAUTION

- 1) It is mandatory that initially, after shutdown of system or initial charging, the ID fan should be run for at least one hour, to remove explosive gases, if any in ESP, before “Switching ON” the TR set.
- 2) It is mandatory that dust discharged equipment below ESP hopper must be running whenever ID fan is running. It is always to be ensured that there is no dust accumulation whatsoever in the hoppers. The dust /ash accumulation in the hopper may damage the ESP internals.
- 3) ESP hopper door to be opened, only after I.D. fan is stopped. This is necessary to avoid sudden ingress of fresh air in the hopper which contains dust/ash with high carbon content. Dust conveying system / Rotary air lock valve shall be running all the time.
- 4) Rapping system shall be ON (running) all the time when ID fan is running irrespective of ESP is charged or not.
- 5) Purge air system is not running then trip the TR sets.

9 PROCESS INTERELOCK


Provision of upstream & downstream process / equipment interlock has been provided in the TRCC panel for tripping purpose. Generally such interlocks are process related & customer has to identify for tripping of TRCC in case of unhealthy condition.

10 ALARMS :

- 10.(A) Following alarms will be provided on :-
 Motor Control Center
- i High ash level in the hoppers
 - ii High-High ash level in the hoppers
 - iii Purge Air Blower : tripped/fail
 - iv Hopper-1 to 3 temp. high
 - v Hopper-1 to 3 temp. high high
 - vi ESP Inlet Nozzle temp high
 - vii ESP Inlet Nozzle temp high high

THIS DOCUMENT IS THE OUTPUT OF VALIDATED COMPUTER PROGRAM AND DOES NOT REQUIRE MANUAL SIGNATURES.

THIS IS A PROPRIETARY DOCUMENT OF THERMAX LIMITED.

THERMAX LIMITED  THERMAX ENVIRO DIVISION	APPLICATION	ESP FOR 90 TPH AFBC BOILER		
	CUSTOMER:	M/s RADICO KHAITAN LTD, SITAPUR		
	CONSULTANT	N.A		
	OC NO:	E201091	STD NO:	N/A
DESCRIPTION :		DOC /DRG. NO:	REV.	
ELECTROSTATIC PRECIPITATOR CONTROL LOGIC		E201091003	NO 0	
SHEET		6 OF	7	

- 10.(B) Transformer-Rectifier control panel :
 (Note: The following alarms will be indicated on the TRCC controller LCD display)
- i Transformer oil temperature high alarm.
 - ii Transformer oil temperature high trip.
 - iii Transformer Buchlotz relay alarm.
 - iv Transformer Buchlotz relay trip.
 - v SCR temperature high trip.
 - vi Transformer oil level low trip.
 - vii Over voltage trip.
 - viii Under voltage trip.
 - ix Thermal overload trip.
- NOTE: Alarm fault of TR set will be indicated on controller display with tripping of respective TR set

11 Following indications will be provided on :


- 11.(A) Motor Control Center :
- i Incomer feeder: R, Y, B phase indicating lamp.
 - ii T/R sets feeder: Supply ON, OFF Lamp.
 - iii Microtapper panel feeder : Supply ON, OFF Lamp.
 - iv Insulator Heater: On, Off & Temp. trip lamp.
 - v Hopper Heater-1 to 3 : On, off & Temp trip lamp.
 - vi Purge Air Blower feeder : On, Off & over-load trip lamp.
 - vii Annunciator + Level switch feeder + TIC: Level high & high high lamp for each level-switch and temp. high & high high lamp for each TIC.

- 11.(B) Transformer Rectifier Control Panel
- i Mains on lamp
 - ii HT on lamp
 - iii Alarm / Trip lamp

- 11.(C) Microtapper Panel
- i Mains ON
 - ii Rapper ON
 - iii Rapper Fault.
 - iv HMI Display
 - i) Rapper short circuit
 - ii) Rapper open circuit
 - iii) Rapper Fault Indication

THIS DOCUMENT IS THE OUTPUT OF VALIDATED COMPUTER PROGRAM AND DOES NOT REQUIRE MANUAL SIGNATURES.

THIS IS A PROPRIETARY DOCUMENT OF THERMAX LIMITED.


THERMAX LIMITED ENVIRO DIVISION		APPLICATION	ESP FOR 90 TPH AFBC BOILER	
		CUSTOMER:	M/s RADICO KHAITAN LTD, SITAPUR	
		CONSULTANT	N.A	
		OC NO:	E201091	STD NO:

DESCRIPTION : ELECTROSTATIC PRECIPITATOR CONTROL LOGIC	DOC /DRG. NO:	E201091003	REV.	
	SHEET		7 OF 7	NO
				0





 **GPS Map Camera**

Kanduni, Uttar Pradesh, India
Unnamed Road, Kanduni, Uttar Pradesh 261145, India
Lat 27.3767°
Long 80.916508°
08/11/23 04:44 PM GMT +05:30





 **GPS Map Camera**



Kanduni, Uttar Pradesh, India


Unnamed Road, Kanduni, Uttar Pradesh 261145, India


Lat 27.376834°

Long 80.91636°

08/11/23 04:44 PM GMT +05:30




 **GPS Map Camera**



Kanduni, Uttar Pradesh, India
Unnamed Road, Kanduni, Uttar Pradesh 261145, India
Lat 27.376729°
Long 80.916419°
08/11/23 04:43 PM GMT +05:30



 **GPS Map Camera**



Kanduni, Uttar Pradesh, India
Unnamed Road, Kanduni, Uttar Pradesh 261145, India
Lat 27.377708°
Long 80.916735°
08/11/23 04:42 PM GMT +05:30



 **GPS Map Camera**

Kanduni, Uttar Pradesh, India
Unnamed Road, Kanduni, Uttar Pradesh 261145, India
Lat 27.377708°
Long 80.916735°
08/11/23 04:42 PM GMT +05:30



Recognized by MoEFCC (Govt. of India) Under EPA 1986 I (Vide F. No. LB/99/7/2021-Sublab-HO-CPCB-HO/Pvt-322/92)

TEST REPORT

Format No- 7.8F-01

Report No	Sample code	Report issue date
RPT/231017043	SMPL/231017027	21/10/2023

SAMPLING DETAILS

1.	Name and Address of Customer:	M/s Radico Khaitan Ltd. (Distillery & Bottling) Unit –Sitapur, Vill-Kanduni, Tehsil- Biswan, Dist. Sitapur (U. P)
2.	Type of Industry:	Distillery /Beverages
3.	Sampling Location:	Near Stack,,Stack height 72 M, Biomass & rice husk-based boiler with 15 MW Power
4.	Type of Sample :	Boiler Stack
5.	Date of Sampling	15/10/2023
6.	Sample Collection :	SRLPL Team
7.	Laboratory Sample Receiving date:	17/10/2023

STACK EMISSION TEST RESULTS

S. No.	Particulars	Value	
1.	Capacity of Boiler	15 MW	
2.	Stack Attached to	Boiler	
3.	Type of stack	Circular	
4.	Height of the duct from the ground (m)	72	
5.	Diameter of the Duct (m)	0.5	
6.	Material of construction of Duct	MS	
7.	Type of fuel used	HSD	
8.	Quantity of fuel used Lit. per Hr.	50	
9.	Sampling Duration (Min)	40	
10.	Atmospheric temperature (^o K)	310	
11.	Flue Gas temperature (^o K)	451	
12.	Flue Gas Exist Velocity (m/s)	9.9	
13.	Concentration of Pollutant in flue Gas		
	Pollutant	Result	Standard
	PM (mg/NM ³)	48.0	50
	SO ₂ (mg/NM ³)	81.6	-
	NO ₂ (mg/NM ³)	88.0	--
	CO ₂ %	9.4	-
	CO %	1.1	-

BDL*below detection Limit NR*=No Relaxation, NT**=No Traceable.

Page 1/1

END OF REPORT


(Reviewed By)


(Authorized Signatory)

- Note :- 1. The result listed refer only to tested Sample and applicable Parameter.
2. This Certified is not to be reproduced wholly or parts promotional publicity or legal purpose without permission of Authority of SRLPL.
3. The Sample will be destroyed after 21 days from date of issue of test Report unless otherwise specified.
4. Any Discrepancy found in the test Report may be communicated within Seven days.



श्री हनुमन्त ब्रिक फील्ड

अफसरिया इलाहाबाद, महमुदाबाद-सीतापुर (उज्जयिनी)

सेवा में,

श्री ० रेडको खेतान लि०
सीतापुर - (५०५०)

24/7/22

विषय:- फलारी रेश डबाने हेतु ।

श्रीमान निवेदन यह है कि श्री ० रेडको हनुमन्त ब्रिक फील्ड, ग्राम अफसरिया, हुसैनपुर, तहसील- महमुदाबाद (सीतापुर) ५०५० ब्रिक्स अड्डे का संचालन करता हूँ। मेरे अड्डे पर फलारी रेश से रेश डबाने का कार्य किया जाता है। अतः आपसे अनुरोध है कि अपने अखामे से निकलने वाली फलारी रेश 60 से 70 टन प्रतिमाह मेरे 03 ईट अड्डे महमुदाबाद, सिधोली रोड बिरावा में ब्रिक्स डबाने हेतु पदान किया जाए।

SHRI HANUMANT BRICK FIELD
राजकुमार गुप्ता
PROPRIETOR

AGREEMENT FOR FLY ASH TAKE OFF

This Agreement "The Agreement" is made and entered on this 1st day of Aug 2022 between **M/s Radico Khaitan Limited**, a company incorporated under The Indian Companies Act, 1956 having its registered office at Bareilly Road, Rampur (UP) 244901 (**hereinafter referred to as "First Party"**)

AND

M/s. Shri Hanumant Bricks Field, Village – Afsaria Hussainpur, Mahmudabad, Distt-Sitapur, 261203 is represented by **Mrs. Rajkumari Gupta W/o Mr. Rakesh Gupta** (**hereinafter referred to as "Second Party"**)

WHEREAS the "First Party" is engaged in the business of distillery plant in the name of Radico Khaitan Ltd, situated in Village – Kanduni, Teh - Biswan District of Sitapur (UP) (hereinafter referred to as "Establishment") and is on the lookout for a suitable Contractor who can undertake services for carrying out activities related to take off fly ash Services of the Establishment.

AND WHEREAS the "Second Party" has represented to the "First Party" that the "Second Party" has a valid license to undertake the assignment and has the expertise to do such kind of work and has taken or done similar such type of jobs in other concerns.

AND WHEREAS the "First Party" wants to give, and the "Second Party" has agreed to undertake the said job on the terms and conditions set out hereunder with effect from 1st January 2023:

Source of Fly Ash:

"Radico Khaitan Limited" has pulverized coal & grain fired boiler(s) for Units and the fly ash generated from its boiler) is/are collected at Its highly efficient electrostatic precipitators. The fly ash generated in the plant will be sent to SILOS situated inside the plant periphery.

Scope of Supply:

"Radico Khaitan Limited" will supply dry fly ash to "Shri Hanumant Bricks Field" (Second Party) shall lift 40 to 50 tons fly ash from inside the plant. The services on the below mentioned rates and service tax thereon on monthly basis or on actual basis and any other statutory provisions & liabilities to be discharged by the "Second Party". The amount shall be paid subject to verification by the Boiler, Security & Admin departments.

Rajkumari Gupta

Weighing Terms

1. The Second Party Shall lift the Tippler/ Truck as location of choice to facilitate weigh of fly ash that is being off — take from Plant exit points, a record to that effect shall be maintained which shall be final and binding for all purpose of this agreement.
2. Delivery Challan shall be issued based on approximate weight as per suitable arrangement or best possible approximation. The arrangement shall be mutually finalised before the commencement of supply of dry fly ash to the "Second Party"

Indemnification

3. In case the "Second Party" contravenes any provisions of the law, and the "First Party", its employees, Directors and other personnel suffers any damage or loss or harm due to any acts of commission or omission of the Second Party, the "Second Party" shall be bound to indemnify the "First Party", its employees, Directors and other personnel. The Second Party shall also be responsible for the discharge of all legal liabilities towards the "First Party" and for observing all laws and Government rules relating to labour laws as may be applicable.

Duration, Extension & Termination of the Contract

4. This Agreement shall remain in force for a period of 03 Years, w.e.f. — 01 January 2023. However, this Contract of Agreement shall be liable to be terminated at the expiry of the terms of the contract and in event it is to be extended; it shall be done by mutual consent in writing.
5. Notwithstanding anything contained herein above, this Contract of Agreement can be terminated earlier than the period agreed upon by either party by giving one month's notice to the other party.

Miscellaneous

6. Correspondence: All correspondences should be addressed to President – Mfg Operations with at Radico Khaitan Limited Sitapur for "First Party".
7. Either party shall not share the terms of the contract with anybody outside their organization without the consent of the other party.
8. Jurisdiction: All disputes shall be subject to the jurisdiction of Sitapur Courts alone.

The "Second Party" has accepted and agreed and herein confirms that he shall abide and is willing to execute the work assigned to him in accordance with the terms and conditions of this Agreement and in turn the "First Party" also agrees to engage the "Second Party" with effect from 01 Jan 2023 to 31 Dec 2023.

For and on behalf of M/s Radico Khaitan Ltd Sitapur. For and on behalf of M/S Shri Hanumant Bricks Field
("First Party")

("Second Party")

SHRI HANUMANT BRICK FIELD

21/6/2023
PROPRIETOR

Payments Terms:

1. Rates would be as per the matrix below. Other Special Rates apart from the matrix will be negotiated rates and may vary as per requirement.

GROSS Weight / Qty	RATE
Per Tipper	Rs. 200

Note: - Tax will be applicable as per terms. No other charges will be paid.

राजकुमार गुप्ता

Anubhav Brick Field

Sidhauri - Sitapur

सेवा में,

21/07/2022

मेसर्स रेडिको स्वेल्डन लिमिटेड
सीतापुर उ०.प०

विषय - फ्लाई एस उठाव के सन्दर्भ में प्रस्ताव

श्रीमान,

आप से अनुरोध है कि, मैं, शिव बहादुर सिंह, प्रोपराइटर
अनुभव ब्रिक फील्ड जोकि सिधौली में 03 भूखण्डों का
संचालित करता हूँ तथा इन्हें का निर्माण करता हूँ।
हमारे व्यवसाय में फ्लाई एस से इटों का निर्माण
क्रिया जाता है। तथा आप से अनुरोध है कि मैं
प्रति माह 60-70 टन फ्लाई एस का उठाव आप
के फैक्ट्री से कर सकता हूँ।

कृपया ये माँका देकर इसे अनुमोदित करें

ANUBHAV BRICK FIELD

PROPRIETOR

(शिव बहादुर सिंह)

AGREEMENT FOR FLY ASH TAKE OFF

This Agreement "The Agreement" is made and entered on this 1st day of Aug 2022 between **M/s Radico Khaitan Limited**, a company incorporated under The Indian Companies Act, 1956 having its registered office at Bareilly Road, Rampur (UP) 244901 (**hereinafter referred to as "First Party"**)

AND

M/s. Anubhav Bricks Field, Village – Malethu, Teh. Sidhauli, Distt-Sitapur, 261303 is represented by **Mr. Shiv Bahadur Singh** (**hereinafter referred to as "Second Party"**)

WHEREAS the "First Party" is engaged in the business of distillery plant in the name of Radico Khaitan Ltd, situated in Village – Kanduni, Teh - Biswan District of Sitapur (UP) (hereinafter referred to as "Establishment") and is on the lookout for a suitable Contractor who can undertake services for carrying out activities related to take off fly ash Services of the Establishment.

AND WHEREAS the "Second Party" has represented to the "First Party" that the "Second Party" has a valid license to undertake the assignment and has the expertise to do such kind of work and has taken or done similar such type of jobs in other concerns.


AND WHEREAS the "First Party" wants to give, and the "Second Party" has agreed to undertake the said job on the terms and conditions set out hereunder with effect from 1st January 2023:

Source of Fly Ash:

"Radico Khaitan Limited" has pulverized coal & grain fired boiler(s) for Units and the fly ash generated from its boiler) is/are collected at Its highly efficient electrostatic precipitators. The fly ash generated in the plant will be sent to SILOS situated inside the plant periphery.

Scope of Supply:

"Radico Khaitan Limited" will supply dry fly ash to "Shri Anubhav Bricks Field" (Second Party) shall lift 40 to 50 Ton per month fly ash from inside the plant. The services on the below mentioned rates and service tax thereon on monthly basis or on actual basis and any other statutory provisions & liabilities to be discharged by the "Second Party". The amount shall be paid subject to verification by the Boiler & Security / Admin departments.



Weighing Terms

1. The Second Party Shall lift the Tippler/ Truck as location of choice to facilitate weigh of fly ash that is being off — take from Plant exit points, a record to that effect shall be maintained which shall be final and binding for all purpose of this agreement.
2. Delivery Challan shall be issued based on approximate weight as per suitable arrangement or best possible approximation. The arrangement shall be mutually finalised before the commencement of supply of dry fly ash to the "Second Party"

Indemnification

3. In case the "Second Party" contravenes any provisions of the law, and the "First Party", its employees, Directors and other personnel suffers any damage or loss or harm due to any acts of commission or omission of the Second Party, the "Second Party" shall be bound to indemnify the "First Party", its employees, Directors and other personnel. The Second Party shall also be responsible for the discharge of all legal liabilities towards the "First Party" and for observing all laws and Government rules relating to labour laws as may be applicable.

Duration, Extension & Termination of the Contract

4. This Agreement shall remain in force for a period of 03 Years, w.e.f. – 01 January 2023. However, this Contract of Agreement shall be liable to be terminated at the expiry of the terms of the contract and in event it is to be extended; it shall be done by mutual consent in writing.
5. Notwithstanding anything contained herein above, this Contract of Agreement can be terminated earlier than the period agreed upon by either party by giving one month's notice to the other party.

Miscellaneous


6. Correspondence: All correspondences should be addressed to President – Mfg Operations with at Radico Khaitan Limited Sitapur for "First Party".
7. Either party shall not share the terms of the contract with anybody outside their organization without the consent of the other party.
8. Jurisdiction: All disputes shall be subject to the jurisdiction of Sitapur Courts alone.

The "Second Party" has accepted and agreed and herein confirms that he shall abide and is willing to execute the work assigned to him in accordance with the terms and conditions of this Agreement and in turn the "First Party" also agrees to engage the "Second Party" with effect from 01 Jan 2023 to 31 Dec 2023.

For and on behalf of M/s Radico Khaitan Ltd Sitapur. For and on behalf of M/S Anubhav Bricks Field
("First Party") ("Second Party")

ANUBHAV BRICK FIELD

Proprietor



Payments Terms:

1. Rates would be as per the matrix below. Other Special Rates apart from the matrix will be negotiated rates and may vary as per requirement.

GROSS Weight / Qty	RATE
Per Tipper	Rs. 200

Note: - Tax will be applicable as per terms. No other charges will be paid.

Suz

मेसर्स सुरैचा ब्रिग फील्ड

ग्राम व पो०-सुरैचा (सीतापुर)

पत्रांक-

दिनांक 25/3/22

सेवा में

में० रेडियो खेतान लो०
सीतापुर-(ऊ० ५०)

विषय- फ्लाई ऐस लिपटीग के सम्बन्ध में।

श्रीमान निवेदन यह है कि मैं मेसर्स सुरैचा ब्रिग फील्ड, ग्राम व पो०-सुरैचा (सीतापुर) को 3 ब्रिग को भेटे को संचालन करता हूँ। मेरी संस्था फ्लाई ऐस से इट बनाने का काम करती है। आपसे अनुरोध है कि आपकी धेकर से जो ऐस निबलेगी उसका उपयोग मुझे ब्रिग बनाने में करने दिया जाए।

अतः उपरोक्त के सम्बन्ध में मुझे कार्य करने की स्वीकृति प्रदान करे। आपका धन्य होगा।
धन्य।

For M/s SURAICHA BRIG FIELD
Surya Bhamra
Proprietor



सत्यमेव जयते


INDIA NON JUDICIAL

Government of Uttar Pradesh

Signature.....
Acc. Name- Karmal Kishor Pandey
Acc. Code- UP14437504
Licence. No.- 39
Tehsil-Sidhauri, Sitapur

e-Stamp

Certificate No. : IN-UP53520287661984U
Certificate Issued Date : 27-Jul-2022 02:51 PM
Account Reference : NEWIMPACC (SV)/ up14437504/ SIDHAULI/ UP-SPR
Unique Doc. Reference : SUBIN-UPUP1443750499239361303581U
Purchased by : RADICO KHAITAN LIMITED SITAPUR
Description of Document : Article 5 Agreement or Memorandum of an agreement
Property Description : Not Applicable
Consideration Price (Rs.) :
First Party : RADICO KHAITAN LIMITED SITAPUR
Second Party : Not Applicable
Stamp Duty Paid By : RADICO KHAITAN LIMITED SITAPUR
Stamp Duty Amount(Rs.) : 50
(Fifty only)



Please write or type below this line

SURE BANJ

Statutory Alert:

1. The authenticity of this Stamp certificate should be verified at 'www.shcilestamp.com' or using e-Stamp Mobile App of Stock Holding.
2. Any discrepancy in the details on this Certificate and as available on the website / Mobile App renders it invalid.
3. The onus of checking the legitimacy is on the users of the certificate.
3. In case of any discrepancy please inform the Competent Authority

AGREEMENT FOR FLY ASH TAKE OFF

This Agreement "The Agreement" is made and entered on this 1st day of Aug 2022 between **M/s Radico Khaitan Limited**, a company incorporated under The Indian Companies Act, 1956 having its registered office at Bareilly Road, Rampur (UP) 244901 (**hereinafter referred to as "First Party"**)

AND

M/s. Suraicha Bricks Field, Village Suraicha, Tehsil-Sidhauli, Distt-Sitapur, 261001 is represented by **Mr. Suryabhan Singh S/o Mr. Udyabhan Singh (hereinafter referred to as "Second Party")**

WHEREAS the "First Party" is engaged in the business of distillery plant in the name of Radico Khaitan Ltd, situated in Village – Kanduni, Teh - Biswan District of Sitapur (UP) (hereinafter referred to as "Establishment") and is on the lookout for a suitable Contractor who can undertake services for carrying out activities related to take off fly ash Services of the Establishment.

AND WHEREAS the "Second Party" has represented to the "First Party" that the "Second Party" has a valid license to undertake the assignment and has the expertise to do such kind of work and has taken or done similar such type of jobs in other concerns.

AND WHEREAS the "First Party" wants to give, and the "Second Party" has agreed to undertake the said job on the terms and conditions set out hereunder with effect from 1st January 2023:

Source of Fly Ash:

"Radico Khaitan Limited" has pulverized coal & grain fired boiler(s) for Units and the fly ash generated from its boiler) is/are collected at Its highly efficient electrostatic precipitators. The fly ash generated in the plant will be sent to SILOS situated inside the plant periphery.

Scope of Supply:

"Radico Khaitan Limited" will supply dry fly ash to "Suraicha Bricks Field" (Second Party) shall lift the 40 to 50 tons fly ash from inside the plant. The services on the below mentioned rates and service tax thereon on monthly basis or on actual basis and any other statutory provisions & liabilities to be discharged by the "Second Party". The amount shall be paid subject to verification by the Boiler, Security & Admin departments.

SURABHAN SINGH

Weighing Terms

1. The Second Party Shall lift the Tippler/ Truck as location of choice to facilitate weigh of fly ash that is being off — take from Plant exit points, a record to that effect shall be maintained which shall be final and binding for all purpose of this agreement.
2. Delivery Challan shall be issued based on approximate weight as per suitable arrangement or best possible approximation. The arrangement shall be mutually finalised before the commencement of supply of dry fly ash to the "Second Party"

Indemnification

3. In case the "Second Party" contravenes any provisions of the law, and the "First Party", its employees, Directors and other personnel suffers any damage or loss or harm due to any acts of commission or omission of the Second Party, the "Second Party" shall be bound to indemnify the "First Party", its employees, Directors and other personnel. The Second Party shall also be responsible for the discharge of all legal liabilities towards the "First Party" and for observing all laws and Government rules relating to labour laws as may be applicable.

Duration, Extension & Termination of the Contract

4. This Agreement shall remain in force for a period of 03 Years, w.e.f. – 01 January 2023. However, this Contract of Agreement shall be liable to be terminated at the expiry of the terms of the contract and in event it is to be extended; it shall be done by mutual consent in writing.
5. Notwithstanding anything contained herein above, this Contract of Agreement can be terminated earlier than the period agreed upon by either party by giving one month's notice to the other party.

Miscellaneous

6. Correspondence: All correspondences should be addressed to President – Mfg Operations with at Radico Khaitan Limited Sitapur for "First Party".
7. Either party shall not share the terms of the contract with anybody outside their organization without the consent of the other party.
8. Jurisdiction: All disputes shall be subject to the jurisdiction of Sitapur Courts alone.

The "Second Party" has accepted and agreed and herein confirms that he shall abide and is willing to execute the work assigned to him in accordance with the terms and conditions of this Agreement and in turn the "First Party" also agrees to engage the "Second Party" with effect from 01 Jan 2023 to 31 Dec 2023.

For and on behalf of M/s Radico Khaitan Ltd Sitapur.
("First Party")

For and on behalf of M/S Suraicha Bricks Field
("Second Party")

For M/s SURAICHA BRICK FIELD
SURI B. M. J. M.
Proprietor

Payments Terms:

1. Rates would be as per the matrix below. Other Special Rates apart from the matrix will be negotiated rates and may vary as per requirement.

GROSS Weight / Qty	RATE
Per Tipper	Rs. 200

Note: - Tax will be applicable as per terms. No other charges will be paid.

SURYA



PLAN AND FUND ALLOCATION FOR OCCUPATIONAL HEALTH SAFETY				
S. No.	Description	Amount (Rs. In Lakhs per annum.)	Expenditure Actual (Rs. In Lakhs)	Balance Amount (Rs. In Lakhs)
1	Doctor's Retainer Fee (Including Staff)	25	0	25
2	Medicine Expenses	10	0.4	9.6
3	Health Check-up Exp.	15	0.25	14.75
4	Ambulance Expenditure	10	9.2	0.8
Total Amount in (Rs.)		60	9.85	50.15
Furthermore, Proposed Budget: -		40		
Total: -		1.00 Crore.		

Radico Khaitan Limited

ISO 9001 :2008 Certified Company

(Unit : Sitapur) Village - Kanduni, Tehsil - Biswan, Sidhauri Biswan Road, Sitapur (U.P.) - 261201

Regd. Office & Works : Bareilly Road, Rampur - 244901 (U.P.)

Tel. EPABX (0595) 2350601, 2350602, 2350427, Fax : (0595) 2350009 email : rampur@radico.co.in

Head Office : Plot No. J-1, Block B-1, Mohan Co-op. Industrial Area,
Mathura Road, New Delhi-110044

Tel. : (91-11) 40975400/444/500/555, Fax : (91-11) 41678841-42

e-mail : info@radico.co.in, website : www.radicokhaitan.com

SUMMARY OF TRAINING 2023-24															
S No	Training Month	Course Title	Course Type	Type	Number of participant	Site Code	Start Date	Start Time	End Date	Month	End Time	Imparted Training Hrs	Mandays	Trainer/Vendor Name	Training
1	April-23	Fire Safety Training	In House	Internal	85	Sitapur	04.04.2023	7:00	04.04.2023	April	7:45	0:45	3.19	Indresh Kumar	Internal
2	April-23	General safety rules	In House	Internal	15	Sitapur	23.04.2023	10:00	23.04.2023	April	10:30	0:30	0.04	Ajeet Kumar	Internal
3	May-23	General safety rules	In House	Internal	250	Sitapur	01.05.2023	11:00	01.05.2023	May	12:00	1:00	1.30	Ajeet Kumar	Internal
4	May-23	Safety during work on rotating equipments	In House	Internal	5	Sitapur	02.05.2023	11:30	02.05.2023	May	12:00	0:30	0.01	Ajeet Kumar	Internal
5	May-23	Electrical Safety	In House	Internal	55	Sitapur	06.05.2023	14:00	06.05.2023	May	15:00	1:00	0.29	Ajeet Kumar	Internal
6	May-23	General safety rules	In House	Internal	4	Sitapur	11.05.2023	9:00	11.05.2023	May	9:30	0:30	0.01	Ajeet Kumar	Internal
7	May-23	Tetra line good manufacturing practices	In House	Internal	7	Sitapur	16.05.2023	14:00	16.05.2023	May	16:00	2:00	0.07	Jaskamal Singh Bhogal	Internal
8	May-23	Bottling Operations	In House	Internal	5	Sitapur	16.05.2023	10:00	16.05.2023	May	11:30	1:30	0.04	Jaskamal Singh Bhogal	Internal
9	May-23	Work at height safety	In House	Internal	6	Sitapur	16.05.2023	11:00	16.05.2023	May	12:00	1:00	0.03	Vivek Verma	Internal
10	May-23	Bottling production	In House	Internal	9	Sitapur	17.05.2023	16:00	17.05.2023	May	16:30	0:30	0.02	Jaskamal Singh Bhogal	Internal
11	May-23	General Safety Rules and Fire Safety Training	In House	Internal	80	Sitapur	20.05.2023	7:00	20.05.2023	May	7:30	0:30	0.21	Indresh Kumar	Internal
12	May-23	Safety operation of forklift	In House	Internal	7	Sitapur	25.05.2023	15:15	25.05.2023	May	15:45	0:30	0.02	Vivek Verma	Internal
13	May-23	Work at height and electrical safety	In House	Internal	53	Sitapur	28.05.2023	8:30	28.05.2023	May	9:30	1:00	0.28	Ajeet Kumar	Internal
14	June-23	Laminate Wastage	In House	Internal	13	Sitapur	01.06.2023	15:00	01.06.2023	June	15:20	0:20	0.02	Gaurav Singh	Internal
15	June-23	Sap Training	In House	Internal	9	Sitapur	01.06.2023	11:00	01.06.2023	June	16:00	5:00	0.23	Laxmi Narayan Sharma	Internal
16	June-23	Fire Safety and hot work safety	In House	Internal	10	Sitapur	01.06.2023	10:30	01.06.2023	June	11:00	0:30	0.03	Ajeet Kumar	Internal
17	June-23	Good manufacturing practice	In House	Internal	11	Sitapur	03.06.2023	10:00	03.06.2023	June	10:25	0:25	0.02	Jaskamal Singh Bhogal	Internal
18	June-23	Safe Manual material Handling	In House	Internal	7	Sitapur	05.06.2023	11:00	05.06.2023	June	11:30	0:30	0.02	Ajeet Kumar	Internal
19	June-23	Sap Training - Engineering Department	In House	Internal	20	Sitapur	08.06.2023	11:00	08.06.2023	June	15:00	4:00	0.42	Neeraj Srivastava	Internal
20	June-23	Fire Safety	In House	Internal	26	Sitapur	10.06.2023	6:30	10.06.2023	June	7:00	0:30	0.07	Ajeet Kumar	Internal
21	June-23	Sap Training - Distillery	In House	Internal	13	Sitapur	10.06.2023	11:00	10.06.2023	June	16:00	5:00	0.34	Neeraj Srivastava	Internal
22	June-23	Behavior Base safety and Heat stress	In House	Internal	47	Sitapur	12.06.2023	8:30	12.06.2023	June	9:30	1:00	0.24	Ajeet Kumar	Internal
23	June-23	Fire Drill cum demonstration	In House	Internal	110	Sitapur	13.06.2023	18:00	13.06.2023	June	18:45	0:45	0.43	Vivek Verma	Internal
24	June-23	Double barcode on CC box	In House	Internal	15	Sitapur	13.06.2023	11:00	13.06.2023	June	11:15	0:15	0.02	Ajeet / Pawan	Internal
25	June-23	Coveyor Safety	In House	Internal	35	Sitapur	15.06.2023	18:00	15.06.2023	June	18:30	0:30	0.09	Ajeet Kumar	Internal
26	June-23	Hot Work & Work at Height Safety	In House	Internal	8	Sitapur	17.06.2023	14:30	17.06.2023	June	15:00	0:30	0.02	Ajeet Kumar	Internal
27	June-23	CC box wastage reduction	In House	Internal	6	Sitapur	19.06.2023	10:00	19.06.2023	June	12:00	2:00	0.06	Jaskamal Singh Bhogal	Internal
28	June-23	Customer complaint - shrink sleeve	In House	Internal	3	Sitapur	19.06.2023	15:00	19.06.2023	June	15:45	0:45	0.01	Prabhat Ravi Singh	Internal
29	June-23	General Safety Rules	In House	Internal	15	Sitapur	20.06.2023	16:00	20.06.2023	June	16:45	0:45	0.06	Ajeet Kumar	Internal
30	June-23	Sundaram Barcode Scanning	In House	Internal	8	Sitapur	21.06.2023	10:30	21.06.2023	June	11:00	0:30	0.02	Laxmi Narayan Sharma	Internal
31	June-23	How to avoid double barcode	In House	Internal	12	Sitapur	21.06.2023	11:00	21.06.2023	June	11:10	0:10	0.01	Sri Niwas Rao	Internal
32	June-23	Work at height and hot work safety	In House	Internal	8	Sitapur	22.06.2023	10:00	22.06.2023	June	10:30	0:30	0.02	Ajeet Kumar	Internal
33	June-23	Sundaram Barcode Scanning	In House	Internal	12	Sitapur	23.06.2023	10:00	23.06.2023	June	10:30	0:30	0.03	Laxmi Narayan Sharma	Internal
34	June-23	Work at height	In House	Internal	17	Sitapur	24.06.2023	9:00	24.06.2023	June	10:00	1:00	0.09	Ajeet Kumar	Internal
35	June-23	General Safety Rules	In House	Internal	45	Sitapur	26.06.2023	6:30	26.06.2023	June	07:00	0:30	0.12	Ajeet Kumar	Internal

36	June-23	Emergency response	In House	Internal	26	Sitapur	28.06.2023	6:30	28.06.2023	June	07:00	0:30	0.07	Ajeet Kumar	Internal
37	June-23	Safe working in high noise zone	In House	Internal	6	Sitapur	29.06.2023	14:30	29.06.2023	June	15:00	0:30	0.02	Ajeet Kumar	Internal
38	July-23	Safe working in high noise zone	In House	Internal	8	Sitapur	02.07.23	10:30	02.07.23	July	11:30	1:00	0.04	Ajeet Kumar	Internal
39	July-23	Safe working in high noise zone	In House	Internal	12	Sitapur	09.07.2023	14:30	09.07.2023	July	15:30	1:00	0.06	Ajeet Kumar	Internal
40	July-23	General safety rules	In House	Internal	7	Sitapur	10.07.2023	14:50	10.07.2023	July	15:50	1:00	0.04	Vivek Verma	Internal
41	July-23	Heat Stress precautions	In House	Internal	10	Sitapur	12.07.2023	10:00	12.07.2023	July	11:00	1:00	0.05	Ajeet Kumar	Internal
42	July-23	Shop floor Hazards risk & Control	Outside	External	5	Sitapur	15.07.2023	11:00	15.07.2023	July	15:00	4:00	0.10	NSC- UP Chapter	External
43	July-23	Work at height	In House	Internal	10	Sitapur	20.07.2023	15:00	20.07.2023	July	16:00	1:00	0.05	Vivek Verma	Internal
44	July-23	Bottling section hygiene	In House	Internal	9	Sitapur	21.07.2023	14:30	21.07.2023	July	15:10	0:40	0.03	Jaskamal Singh Bhogal	Internal
45	July-23	Fire Safety Training	In House	Internal	80	Sitapur	22.07.2023	7:00	22.07.2023	July	8:00	1:00	0.42	Indresh Kumar	Internal
46	July-23	Safe Manual material Handling	In House	Internal	10	Sitapur	27.07.2023	9:30	27.07.2023	July	10:30	1:00	0.05	Ajeet Kumar	Internal
47	July-23	Blending operations	In House	Internal	8	Sitapur	29.07.2023	10:30	29.07.2023	July	11:00	0:30	0.02	Abhay Chauhan	Internal
48	July-23	Hot Work & Work at Height Safety	In House	Internal	15	Sitapur	31.07.2023	16:00	31.07.2023	July	17:00	1:00	0.08	Ajeet Kumar	Internal
49	July-23	Fire Safety Training	In House	Internal	9	Sitapur	31.07.2023	14:15	31.07.2023	July	15:00	0:45	0.04	Kuldeep & Arvind	Internal
50	August-23	Hot Work & Fire Safety	In House	Internal	85	Sitapur	02.08.2023	9:15 AM	02.08.2023	AUGUST	9:45 AM	0:30	0.22	Ajeet Kumar	Internal
51	August-23	Work at height Safety	In House	Internal	15	Sitapur	09.08.2023	11:00 AM	09.08.2023	AUGUST	11:30 AM	0:30	0.04	Ajeet Kumar	Internal
52	August-23	Hot work and work at height safety	In House	Internal	250	Sitapur	16.08.2023	10:00 AM	16.08.2023	AUGUST	10:30 AM	0:30	0.65	Vivek Verma	Internal
53	August-23	Fire Safety	In House	Internal	5	Sitapur	21.08.2023	8:00 AM	21.08.2023	AUGUST	9:00 AM	1:00	0.03	Indresh Kumar	Internal
54	August-23	First-Aid	In House	Internal	55	Sitapur	30.08.2023	10:00 AM	30.08.2023	AUGUST	10:30 AM	0:30	0.14	Vivek Verma	Internal
55	August-23	Blending Operations	In House	Internal	8	Sitapur	01.08.2023	9:00 AM	01.08.2023	AUGUST	9:30 AM	0:30	0.02	Abhay/Saurav/Hirendra	Internal
56	August-23	ENA Unloading SOP & Unloading Checklist	In House	Internal	8	Sitapur	05.08.2023	2:00 PM	05.08.2023	AUGUST	4:00 PM	2:00	0.08	Saurav Bisht	Internal
57	August-23	Maturation operations	In House	Internal	5	Sitapur	08.08.2023	10:30 AM	08.08.2023	AUGUST	11:00 AM	0:30	0.01	JB Yadav	Internal
58	August-23	Basic understanding of 5'S	In House	Internal	7	Sitapur	13.08.2023	10:00 AM	13.08.2023	AUGUST	11:00 AM	1:00	0.04	Saurav Bisht	Internal
59	September-23	Fire Safety	In House	Internal	15	Sitapur	06.09.2023	11:00 AM	06.09.2023	SEPTEMBER	12:00 PM	1:00	1.88	Vivek Verma	Internal
60	September-23	Height Job Safety	In House	Internal	10	Sitapur	12.09.2023	10:00 AM	12.09.2023	SEPTEMBER	11:00 AM	1:00	1.25	Ajeet Kumar	Internal
61	September-23	Fire Safety	In House	Internal	12	Sitapur	18.09.2023	2:00 PM	18.09.2023	SEPTEMBER	3:00 PM	1:00	1.50	Ajeet Kumar	Internal
	September-23	Dust & Noise Protection and Use of personal protective equipments	In House	Internal	22	Sitapur	21.09.2023	10:00 AM	21.09.2023	SEPTEMBER	11:00 AM	1:00	2.75	Vivek Verma	Internal
62	September-23	Fire Safety	In House	Internal	18	Sitapur	24.09.2023	11:00 AM	24.09.2023	SEPTEMBER	12:00 PM	1:00	2.25	Indresh Kumar	Internal
63	October-23	SAP Training	In House	Internal	21	Sitapur	06.10.2023	11:00 AM	24.09.2023	OCTOBER	3:00 PM	4:00	10.50	Vipin Kumar Agarwal	Internal
64	October-23	Work at Height	In House	Internal	22	Sitapur	07.10.2023	11:00 AM	07.10.2023	OCTOBER	12:00 PM	1:00	2.75	Ajeet Kumar	Internal
65	October-23	General Safety	In House	Internal	12	Sitapur	10.10.2023	9:30 AM	10.10.2023	OCTOBER	10:30 AM	1:00	1.50	Vivek Verma	Internal
66	October-23	SAP Training	In House	Internal	14	Sitapur	11.10.2023	11:00 AM	12.10.2023	OCTOBER	3:00 PM	8:00	14.00	Amar Preet	Internal
67	October-23	Fire Safety	In House	Internal	23	Sitapur	20.10.2023	6:30 AM	20.10.2023	OCTOBER	7:30 AM	1:00	2.88	Indresh Kumar	Internal
68	October-23	Respiratory Protection	In House	Internal	18	Sitapur	24.10.2023	10:00 AM	24.10.2023	OCTOBER	11:00 AM	1:00	2.25	Dr. Sumit Yadav	Internal
69	October-23	Work at Height	In House	Internal	7	Sitapur	28.10.2023	10:00 AM	28.10.2023	OCTOBER	11:00 AM	1:00	0.88	Ajeet Kumar	Internal
69	October-23	Hot & Work at Height	In House	Internal	5	Sitapur	30.10.2023	10:00 AM	30.10.2023	OCTOBER	11:00 AM	0:50	0.31	Ajeet Kumar	Internal
	Total				1782							11	30		

प्रारूप-छ (संलग्नक-6)

अग्नि सुरक्षा प्रमाणपत्र (पूर्णता (कम्प्लीशन) अनापत्ति प्रमाणपत्र)

यूआईडी संख्या: UPFS/2023/80326/STP/SITAPUR/391/JD

दिनांक: 27-04-2023

प्रमाणित किया जाता है कि मैसर्स **Distillery Unit , Maturation Hall** (भवन/प्रतिष्ठान का नाम) पता **Vill-Kanduni and Jagdishpur, Biswan Road Sitapur, Sitapur** तहसील - **Biswan**, प्लॉट एरिया **430590.40 sq.mt** , कुल कवर्ड एरिया **1470.0** (वर्ग मीटर), ब्लॉकों की संख्या - **2** जिसमें

ब्लॉक/टावर	प्रत्येक ब्लॉक में तलों की संख्या	बेसमेन्ट की संख्या	ऊँचाई
Distillery	0	0	0 mt.
Maturation Hall	1	0	15.0 mt.

है। भवन का अधिभोग मैसर्स **Distillery Unit , Maturation Hall** द्वारा किया जा रहा है। इनके द्वारा भवन में अग्नि निवारण एवं अग्नि सुरक्षा व्यवस्थाएं, एन0बी0सी0 एवं तत्संबंधी भारतीय मानक ब्यूरो के आई0एस0 के अनुसार भवन में स्थापित करायी गयी व्यवस्थाओं का निरीक्षण **अग्निशमन अधिकारी** द्वारा दिनांक **28-04-2023** को भवन स्वामी/भवन स्वामी के प्रतिनिधि श्री **S K SHARMA** के साथ किया गया। भवन में अधिस्थापित अग्नि सुरक्षा व्यवस्थाएं मानकों के अनुसार अधिस्थापित पायी गयी। अतः प्रश्रुत भवन को अग्नि सुरक्षा प्रमाणपत्र (फायर सेफ्टी सर्टिफिकेट) एन0बी0सी0 की अधिभोग श्रेणी **Industrial** के अन्तर्गत वैधता तिथि **01-05-2023** से **30-04-2026** तक **3** वर्षों के लिए इस शर्त के साथ निर्गत किया जा रहा है कि भवन में नियमानुसार स्थापित सभी अग्निशमन व्यवस्थाओं का अनुरक्षण करते हुए क्रियाशील बनाये रखा जायेगा। भवन में स्थापित की गयी अग्निशमन व्यवस्थाओं में पायी गयी कमी के कारण किसी भी घटना के लिए मैसर्स **Distillery Unit , Maturation Hall** अधिभोगी पूर्ण रूप से जिम्मेदार होगा/होगें। निर्गत अग्नि सुरक्षा प्रमाणपत्र का नवीनीकरण निर्धारित समयावधि के अन्दर न कराये जाने पर निर्गत अग्नि सुरक्षा प्रमाणपत्र स्वतः ही निरस्त मान लिया जायेगा, जिसके लिए मैसर्स **Distillery Unit , Maturation Hall** अधिभोगी पूर्ण रूप से जिम्मेदार होगा/होगें।

Note : In view of the recommendation reports of cfo and fso. The NOC is being issued

"यह प्रमाण-पत्र आपके द्वारा प्रस्तुत अभिलेखों, सूचनाओं के आधार पर निर्गत किया जा रहा है। इनके असत्य पाए जाने पर निर्गत प्रमाण-पत्र मान्य नहीं होगा। यह प्रमाण-पत्र भूमि / भवन के स्वामित्व / अधिभोग को प्रमाणित नहीं करता है।"

हस्ताक्षर (निर्गमन अधिकारी)



Digitally Signed By
(AMAN SHARMA)

निर्गत किये जाने का दिनांक : 01-05-2023
स्थान : LUCKNOW

[6F3173ACF1282848601D36130C6B4188B05EE040]

01-05-2023

प्रमाणित किया जाता है कि यह NOC
मेसर्स डिस्टिलरी यूनिट और मैचुरेशन हॉल के पत्र में
ही निर्गत की गयी है।

11/5/2023
सुभाष सिंह
मुख्य अग्निशमन अधिकारी
सीतापुर



भारत सरकार

Government of India

वाणिज्य और उद्योग मंत्रालय

Ministry of Commerce & Industry

पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन (पैसो)

Petroleum & Explosives Safety Organisation (PESO)

पाँचवा तल, ए-ब्लॉक, सी.जी.ओ. कॉम्प्लेक्स, सेमिनरी हिल्स

नागपुर- 440006

5th Floor, A-Block, CGO Complex, Seminary Hills,
Nagpur - 440006E-mail : explosives@explosives.gov.in

Phone/Fax No : 0712 -2510248, Fax-2510577

संख्या /No. : P/HQ/UP/15/5141 (P537413)

दिनांक /Dated : 19/05/2023

सेवा में /To,

M/s. RADICO KHAITAN LIMITED,
VILL. KANDUNI,
KHADUNI,
Biswan,
Taluka: Biswan,
District: SITAPUR,
State: Uttar Pradesh
PIN: 261201

विषय /Sub : Khasra No, 1027,1023,1019,1031-1051,1111-1130,, 1134,1135,1138,1139,921,667,-675,756-758,760,763,764,770-773,1019,1020, VILL. KANDUNI, KANDUNI, Biswan, Taluka: Biswan, District: SITAPUR, State: Uttar Pradesh, PIN: 261201 में पेट्रोलियम वर्ग A का अधिष्ठापन -अनुज्ञापि जारी करने के बारे में ।
Petroleum Class A Installation at Khasra No, 1027,1023,1019,1031-1051,1111-1130,, 1134,1135,1138,1139,921,667,-675,756-758,760,763,764,770-773,1019,1020, VILL. KANDUNI, KANDUNI, Biswan, Taluka: Biswan, District: SITAPUR, State: Uttar Pradesh, PIN: 261201 Grant of License regarding.

महोदय
/Sir(s),

कृपया आपके पत्र क्रमांक OIN1354918 दिनांक 17/05/2023 का अवलोकन करें ।

Please refer to your letter No. OIN1354918 dated 17/05/2023

विषयान्तर्गत अधिष्ठापन में निम्नलिखित पेट्रोलियम पदार्थों के वर्ग तथा मात्रा के भंडारण के लिए पेट्रोलियम नियम, 2002 के अधीन प्ररूप - XV में स्वीकृत, दिनांक 31/12/2027 तक वैध अनुज्ञापि संख्या P/HQ/UP/15/5141 (P537413) दिनांक 19/05/2023 भेजी जा रही है ।

Licence No. P/HQ/UP/15/5141 (P537413) dated 19/05/2023 granted in Form XV under the Petroleum Rules, 2002 and valid till 31/12/2027 for the storage of the following kinds and quantities of Petroleum at the subject installation is forwarded herewith.

पेट्रोलियम का विवरण /Description of Petroleum	किलोलीटरों में अनुज्ञापित क्षमता /Quantity licenced in KL
वर्ग क प्रपुंज पेट्रोलियम /Petroleum Class A in bulk	6852.00 KL
वर्ग क प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class A, otherwise than in bulk	NIL
वर्ग ख प्रपुंज पेट्रोलियम /Petroleum Class B in bulk	NIL
वर्ग ख प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class B, otherwise than in bulk	NIL
वर्ग ग प्रपुंज पेट्रोलियम /Petroleum Class C in bulk	NIL
वर्ग ग प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class C, otherwise than in bulk	NIL
कुल क्षमता /Total Capacity	6852.00 KL

कृपया पेट्रोलियम नियम 2002 के अधीन बनाए गए नियम 148 में दी गई प्रक्रिया का कडाई से पालन करें और अनुज्ञापि के नवीकरण हेतु समस्त दस्तावेजों को अनुज्ञापि की वैधता समाप्ती की तारीख या उससे पूर्व **Jt. Chief Controller of Explosives, AGRA** को प्रेषित करें ।

Please follow the procedure strictly as laid down in rule 148 of the Petroleum Rules, 2002 and submit complete documents for the Renewal of the licence to **Jt. Chief Controller of Explosives, AGRA**, so as to reach his office on or before the date on which Licence expires.

यह अनुमोदन/ अनुमति अन्य प्राधिकारियों से आवश्यक अनुमति/क्लीयरन्स प्राप्त करने से या यथा लागू अन्य विधियों से छूट नहीं देती है ।

This approval/permission, however, does not absolve from obtaining necessary permission/clearance from other authorities or under other statutes as applicable.

भवदीय /Yours faithfully,

(एस. डी. मिश्रा)
(Shivchandra D. Mishra)
विस्फोटक नियंत्रक
Controller of Explosives
कृते मुख्य विस्फोटक नियंत्रक
For Chief Controller of Explosives
नागपुर/Nagpur

Copy forwarded to :-

1. The District Magistrate, SITAPUR(Uttar Pradesh) with reference to his NOC No 20-C.F/NOC-RADICO LI./AA.NU/1768 Dated 16/05/2023
2. Jt. Chief Controller of Explosives, AGRA. A Copy of the licence along with approved plan is enclosed.

For Chief Controller of Explosives
Nagpur

(अधिक जानकारी जैसे आवेदन की स्थिति, शुल्क तथा अन्य विवरण के लिए हमारी वेबसाइट <http://peso.gov.in> देखें)
(For more information regarding status, fees and other details please visit our website <http://peso.gov.in>)

Note:-This is system generated document does not require signature.

Digitally signed by SHIVCHANDRA DAYAKANT MISHRA
Reason: Licence No. : P/HQ/UP/15/5141
Location:Nagpur [P537413]
Date:19-05-2023 17:54:12 PM



RADICO KHAITAN LIMITED SITAPUR

SCOPE OF WORK

Phase -1 ,

Part-2, 3,& 4



Scope Of Work

Phase -1

Part - 2,

- **Location** –
- Back side canteen Boundary Wall
- Back side canteen Boundary Wall in side Lawn
- Parking Area Near Main Gate
- ADM Office Boundary Wall
- Total area-10420 SQM Lawn area and near plant area 5910 SQM

Status - Plantation- Near Boundary wall - back side canteen , **Hold**
Plantation- Outside parking area – **Soil Filling In Progress**
Plantation --**25 Nov.2023**

Part-2, Plants List

1	Azadirachta Indica	Neem	Tree
2	Bauhinia Purpurea	Kachnar	Tree
3	Cassia Fistula	Amaltas	Tree
4	Conocarpus Erectus	Silver Buttonwood	Tree
5	Erythrina Variegated	Indian Coral Tree	Tree
6	Gravillea Robusta	Silver Oak	Tree
7	Lagerstromia Speciosa	Pride Of India	Tree
8	Michelia Champaca	Champak	Tree
9	Neolamarckia Cadamba	Kadamb	Tree
10	Terminalia Arjuna	Arjuna	Tree
11	Kigelia Pinnata	Sausage Tree	Tree
12	Chukrasia Tabularis	Indian Mahogany	Tree
13	Pongamia Pinnata	Karanj Tree	Tree
14	Tabubie Argentina	Silver Trumpet Tree	Tree
15	Delonix regia	Gulmohar	Tree
16	Jacranda Mimosifolia	Fern Tree	Tree
17	Wodeytia Bifurcata	Foxtail Palm	Tree
1	Calliandra Lanceolatus	Powder Puff	Shrubs
2	Clerodendrum Inerme	Inerme	Shrubs
3	Tebernaemontana Divaricata	Chandani Double	Shrubs
4	Tecoma Gaudi Chaudi	Yellow Bells	Shrubs
5	Bougainvillea Multicolor	Paper Flowers	Shrubs

Scope Of Work

Phase -1

Part – 3,

• Location –

- Temple Area Lawn
- Bottling-1, Lawn Area Boundary Area All Area
- Total area-5500 SQM

Status - Plantation-Temple area Fresh soil laying as per requirement and soil dressing – **Completed**

Grassing - **In Progress**

Plantation --**20 Nov.2023**

Part-3, Plants List

1	Plumeria Alba	Champa	Tree
2	Lagerstroemia Speciosa	Pride Of India	Tree
3	Terminalia Mantaly	Umbrella Tree	Tree
4	Phoenix Sylvestris	Date Palm	Tree
5	Wodyetia bifurcata	Foxtail palm	Tree
6	Nyctonthes arbar Tristis	Harsingar	Tree
7	Aegle Memelos	Bael Tree	Tree
8	Ficus Bengalensis	Kalpavriksha	Tree
9	Michelia Champa		Tree
1	Hamelia Patens	Hamelia	
2	Acalypha wilkensisiana	Copper leaf	Shurbs
3	Bougainvellea		Shurbs
4	Ficus Panda	Ficus	Shurbs
5	Hibiscus Rosa-Sinesis	Gudhal	Shurbs
6	Leucophyllum	Purple Sage	Shurbs
7	Taberaemontana divaricata	Chandni	Shurbs
8	Clerodendrum inerme	Inerme	Shurbs
9	Jasminum Sambac	Chamelli	Shurbs

Scope Of Work

Phase -1

Part – 4,

• Location –

- ADMIN office.
- Bottling-2, Lawn Area Boundary Area All area
- Bottling-2, Lawn Area New
- Total area-16050 SQM

Status - Grassing and plantation around Admin office

Plantation-Soil dumping in needs(Fresh soil laying as per requirement) - **In Progress**

Grassing - **In Progress**

Plantation --**20 Nov.2023**

Part-4, Plants List

1	Phoenix Sylvestris	Date Palm	Tree
2	Wodyetia bifurcata	Foxtail palm	Tree
3	Cycus Revoluta	Sago Palm	Tree
4	Rhapis Excelsa	Lady Palm	Tree
1	Acalypha wilkensisiana	Copper leaf	Shurbs
2	Bougainvellea Multicolor	Paper Flowers	Shurbs
3	Ficus Panda	Ficus	Shurbs
4	Hibiscus Rosa-Sinesis	Gudhal	Shurbs
5	Hamelia Patens	Fire Bush	Shurbs
6	Iresine Herbstii	Blood Leaf	Shurbs
7	Leucophyllum	Purple Sage	Shurbs
8	Phalaris Arundinacea Variegata	Ribbon Grass	Shurbs
9	Taberaemontana divaricata	Chandani Double	Shurbs
10	Wedelia trilobata	Indian Shot	Shurbs
11	Ficus Longisland	Lanatan	Shurbs
12	Seasonal		

Scope Of Work

Miyawaki Forest

- **Location-**

- Miyawaki area near STP & ETP
- Total area-7360 SQM

Status - All fertilizer mixing - Soil digging and compost/fertilizer/rice husk mixing in soil. - **In Progress**

Plantation --**15 Nov.2023**

Work

- Plants, Jiva Amrutha, Manure, Cocopeat, Neemcake, Mulch, Sapling, Support Stick, Bamboo pegs, Support Stick rope
- Total plant - 21920 NO.

Name of Plants –Miyawaki Forest

Before & After



Name of Plants –Miyawaki Forest

Before & After





Kadice





Mr. A. S. Singh
Director Operations
Date: 10/02/2021



INDIA NON JUDICIAL
Government of Uttar Pradesh

e-Stamp

Signature: [Signature]
Acc. Name- Kamel Kishor Pandey
Acc. Code- UP14437504
Licence No.- 39
Tehsil- Sidhauli, Sitapur

Certificate No. : IN-UP55464358693366V
 Certificate Issued Date : 10-Jul-2023 01:02 PM
 Account Reference : NEWIMPACC (SV)/ up14437504/ SIDHAULI/ UP-SPR
 Unique Doc. Reference : SUBIN-UPUP1443750405994475584461V
 Purchased by : RADICO KHAITAN LIMITED
 Description of Document : Article 5 Agreement or Memorandum of an agreement
 Property Description : Not Applicable
 Consideration Price (Rs.) :
 First Party : RADICO KHAITAN LIMITED
 Second Party : Not Applicable
 Stamp Duty Paid By : RADICO KHAITAN LIMITED
 Stamp Duty Amount(Rs.) : 500
 (Five Hundred only)



Please write or type below this line

Memorandum of Understanding

This CSR Program Implementation Agreement ("Agreement") is entered into this 10th day of July 2023 at New Delhi to be effective from by and between:

Radico Khaitan Limited, a company incorporated under the Companies Act, 1956, at (Unit: Sitapur) Village- Kanduni, Tehsil- Biswan, Sidhauli-Biswan Road, Sitapur (UP) 261201, having its registered office at Bareilly Road, District Rampur, Uttar Pradesh -246761 and Corporate Office situated at Plot Number J-1, Block B-I, Mathura Road, Mohan Co Operative Industrial Area-110044 (hereinafter referred to as 'Radico' which expression shall unless repugnant to

[Signature]

1
[Signature]

[Signature]

Statutory Alert

1. The validity of this Memorandum of Understanding created through e-Stamp using e-Stamp Mobile App of State Revenue Department, Government of Uttar Pradesh, is subject to the availability of the e-Stamp Mobile App on the date of stamping.
2. The e-Stamp Mobile App is available on the Google Play Store and the Apple App Store.
3. The e-Stamp Mobile App is available on the Google Play Store and the Apple App Store.

the context or meaning thereof mean and include its successors in interest and permitted assigns); of the first part

AND

PHD Rural Development Foundation, an organization registered under the Indian Trusts Act and having its corporate office at PHD House, Opp. Asian Games Village, New Delhi-110016 (hereinafter referred to as '**PHDRDF**' which expression shall include its successors and assigns); of the second part.

Radico and PHDRDF shall hereinafter individually be referred to as a "Party" and collectively as the "Parties".

Whereas:

1. Pursuant to Section 135 of the Companies Act, 2013 ("Act") read with the Companies (Corporate Social Responsibility Policy) Rules, 2014 ("Rules") Radico is required to adopt a corporate social responsibility policy ("CSR Policy") and constitute a Sustainability and Corporate Social Responsibility Committee ("CSR Committee") and endeavor to spend a minimum of 2% (two percent) of its average net profits during 3 (three) immediately preceding financial years on CSR activities as prescribed in Schedule VII to the Act, as amended from time to time ("CSR Activities");
2. Pursuant to the recommendations of the CSR Committee of **RADICO.**, desires to promote various programs which inter-alia includes promotion of education and ensuring healthcare in the community and supports the program that aim at the welfare of the public at large.
3. PHDRDF is engaged in undertaking various activities of social welfare including education, healthcare, skill development and water conservation to name a few and work as implementing agency to undertake Corporate Social Responsibility (CSR) activities.
4. PHDRDF has represented to Radico that it has the necessary infrastructure, expertise and experience required for carrying out the above-mentioned activities in the Sitapur District of the State of Uttar Pradesh

5. On this representation and after carrying out initial due diligence, RADICO has agreed to engage PHDRDF as an Implementing Agency for carrying out all the activities as per the details and in terms of MoU.
6. Parties have mutually agreed upon to collaborate to implement Integrated Village Development Program at Sitapur, Uttar Pradesh with focus on Education, Healthcare and Environment in terms of CSR Policy of Radico.

NOW THEREFORE, GOOD AND SUFFICIENT CONSIDERATION, IT IS HEREBY AGREED BETWEEN THE PARTIES AS FOLLOWS:

1. **Scope of Project:** The Parties partner to execute the Integrated Village development program at district Sitapur, within the proximity of RADICO's Sitapur facility, with following objectives (hereinafter referred to as "**Project**"):
 - a. **To provide Health Facilities** to less privileged and Low-Income group of the 5 villages i.e., Kanduni, Kourasan, Jagdishpur, Kamharia and Beera through OPD Clinics, Generic Health Camps, Telemedicine Camps and Awareness sessions
 - b. **To upgrade the infrastructure facilities in three Government schools** in Kanduni, Kourasan and Jagdishpur village along with provision of nutrition to students through Mid-Day Meal
 - c. **To provide Environment Friendly Clean Energy Resource through provision of Solar Street Lights** in 3 villages i.e., Kanduni, Kourasan and Jagdishpur at Sitapur.
2. **Title of the Project:** The program shall be named "**RADICO'S Integrated Village Development Program**".
3. **Duration of the Agreement:** This Agreement shall be effective from 1st July 2023 and shall remain in force upto 31st July 2024 or till the completion of Project, unless terminated earlier by the parties. The Project will be initiated within a fortnight of the signing of the MoU or on later date mutually agreed upon by both the Parties. This



Agreement may be extended for such further period as may be agreed by the parties, in writing, by way of a separate Agreement.

4. **Financial Assistance:** Radico Khaitan Ltd will provide a total Financial Assistance of Rs **88,58,530/- (Rupees Eighty-Eight Lakhs, Fifty-Eight Thousand Five Hundred Thirty)** for a period of one year as per details provided in **Annexure I**.

The breakup of the amount in two projects will be as follows:

Summary Cost Sheet towards proposed CSR Projects at Block Sitapur, Uttar Pradesh			
Sr No	Particular	Brief Description	Estimated Cost (Rs)
A. Cost Towards Activities			
1	Environment	Provision of 205 Solar Lights in 3 villages i.e., Kanduni, Kourasan and Jagdishpur	27,50,000
2	Education	Wash (Water, Sanitation & Hygiene) Facilities in 3 Government schools along with Playground Upgradation, SMART Class, and provision of Nutritional Supplements to students	18,88,600
3	Health	Providing Basic Health Care Services through OPD Dispensary, Village level Mobile Health Camps & Telemedicine sessions with Specialized doctors; Awareness session for women on Menstrual Hygiene, Nutrition, and other relevant topics with distribution of Sanitary Pads/ nutritional supplements	34,30,400
B. Cost Towards Execution			
4	Human Resource	Program Manager (Overall Coordination of the project based at HO @ Rs 3,500/- per day for 5 days in a month i.e., Rs 17,500 / month)	2,10,000
5	Monitoring & Evaluation	Cost towards the M&E, Project reports, Documentation, and travel @ Rs 40,000/- per quarter	1,60,000
Total			82,79,000
Admin (7%)			5,79,530
Grand Total			88,58,530

The detailed break up of cost for the various activities is given in the Annexure I

5. **Role & Responsibilities of the Two Parties**

The respective responsibilities of the Parties are as follows:

A. **Radico Khaitan Ltd:**




meeta


- i. Radico Khaitan Ltd, will provide financial assistance to PHDRDF to implement the program as per **Annexure**.
- ii. The CSR team of Radico Khaitan Ltd, will assist in facilitating the PHDRDF team to implement the project efficiently.
- iii. Radico Khaitan Ltd, will monitor & evaluate the project from time to time and provide inputs to PHDRDF

B. Role of PHDRDF:

- i. PHDRDF shall be responsible to perform and carry out activities with due care in a manner as listed out in **Annexure I**
- ii. PHDRDF shall submit regular reports to Radico on monthly/ Quarterly basis or as per agreement and requirement of the donor
- iii. PHDRDF shall undertake the project activities in accordance with this Agreement as well as all applicable laws, rules and regulations and medical standards.
- iv. Shall inform Radico well in time in case of adverse or unexpected developments which could affect project outcomes in any manner
- v. Help uphold the positive image and reputation of Radico Khaitan through its conduct with all project stakeholders and deliverables.
- vi. PHDRDF shall utilize the funds as specified in the proposal for achieving the objectives of this Agreement only and that the funds shall not to be used for purpose other than as agreed herein. If the funds remain unspent post completion of the Project, this will be informed to First Party by Second Party and shall disbursed as per instructions of the first party. It is obligatory on the Second Party to inform the First Party about the status of fund utilization on 31st March. PHDRDF shall submit a fund utilization report to Radico Khaitan Ltd, duly certified by their Statutory Auditors after completion of the Project.

6. Representations and Warranties: The Second Party represents and warrants that:

- (i) it is legally constituted in accordance with all Applicable Laws having valid registrations, certificates, permissions, sanctions, licensees, approvals, renewals etc. in accordance with all Applicable Laws, for developing,



implementing, executing, conducting, coordinating, and carrying out CSR Activities.

- (ii) it has the necessary experience, expertise and established track record in this field and is capable of associating with required resources/persons/agencies for undertaking CSR obligation relating to Project.
- (iii) it possesses the ability to perform its obligations and responsibilities under this Agreement in accordance with the terms and conditions contained herein.

7. **Terms of Payment:** Radico Khaitan Ltd, will release the payment in three instalments as follows:

S. No	Instalment	Details	Amount
1	First Instalment	In Advance	
2	Second Instalment	After completion of three months	
3	Third Instalment	After completion of Six months	
4	Fourth Instalment	10% of the total cost after completion of the project and Report submission	

Payment Terms may be decided mutually

PHDRDF will have a right to get reimbursement of the amount proportionately till the expiry of the notice period and Radico Khaitan Ltd. has a right to take back all relevant documents etc. related to project available with PHDRDF.

8. **Termination:** This Agreement shall automatically terminate on the expiry of the period of 12 months as provided in clause 3 above, unless extended by the parties by mutual consent, by way of a written agreement signed by the parties. Parties may terminate the Agreement after giving a notice of one month notice (30 days) to the other party, provided there shall not be any financial losses to the Radico



9. **Amendments:** Any Amendment to this Agreement shall be valid and binding on the parties only if it is made in writing and signed by duly authorized representative of each party.

10. **Force Majeure:** Force Majeure shall mean and include non-performance due to riots, acts of God, National emergency, acts of a public enemy, governmental restrictions, change in laws or regulations, or any other natural calamity like cyclone, earthquake, flood, and other cause or causes, beyond its reasonable control. Non-performance by either of the parties of any obligation or condition required by this MoU to be performed shall be excused during the time and to the extent that such performance is prevented, wholly or in part, by an event of Force Majeure of which notice has been given.

11. **Indemnification:** Radico Khaitan Ltd, shall not be directly responsible or liable for implementation of the Project or its running or operation. All person-power involved in the Project and also for its running and operating shall be either hired or engaged by PHDRDF and in no way will Radico, be liable for any compensation or remuneration to them including but not limited to the compliance of any Labour or other regulation.

PHDRDF undertakes to comply with all the applicable laws, regulation, or Government / local guidelines for this project, operating and running the Project and undertakes to indemnify and keep indemnified Radico, any costs, claims, charges, expense etc. including any third-party liability arising during the setting of the projects and / or out of running and operating the said Project.

12. **Authorized Person:** The duly authorized team of the PHDRDF will comprise of


1. Dr. Kadambari, Chief Executive
2. Ms. Anjana, Team Lead- Projects
3. Mr. Sandeep Kumar Manager- Projects

Amongst above Mrs. Anjana and Mr. Sandeep Kumar shall be responsible for implementation of the Program from PHDRDF.

The Radico Khaitan Ltd, has duly authorized for coordinating with the PHDRDF.



7



13. **Confidentiality:** The existence, nature, terms, and conditions of this Agreement shall not be disclosed by the Second party in any manner or form, directly or indirectly, to any person or entity under any circumstances without the prior written consent of First Party, except in accordance or in compliance with any Government Acts. Any press releases in respect of the CSR Activities, Funding or this Agreement shall only be made with prior written consent of the First Party.
14. **Severability:** If any court of competent jurisdiction or other competent authority holds that any provision of this Agreement is invalid or unenforceable for any reason then the legality, validity, and enforceability of the remaining provisions of this Agreement shall not be affected or impaired, and all remaining terms of this Agreement shall remain in full force and effect.
15. **Waiver:** The failure of either Party to enforce at any time, or for any period of time, the terms and conditions contained herein shall not be construed to be waiver of any of the terms and conditions or of the right to enforce each and every term and condition of this Agreement.
16. **Relationship:** The relationship between the First Party and the Second Party is on a principal-to-principal basis. Nothing contained in this Agreement shall be construed as having an effect of constituting a relationship of employer and employee or principal and agent between first party and the Second Party.
17. **Applicable Law and dispute Resolution:**
- a. This Agreement will be governed by and constructed in accordance with the laws of India.
 - b. The Parties shall attempt in good faith to resolve any dispute, controversy or claim or contentious matter arising out of or relating to this Agreement which may arise either during the continuance of this agreement or afterwards between the Parties by mutual discussions amicably, failing which, the matter shall be resolved through arbitration by a sole arbitrator appointed mutually by both parties. The decision of such arbitrator shall be final and binding on



the Parties. Arbitration proceedings shall be conducted according to the provisions of The Arbitration and Conciliation Act, 1996 or any statutory amendment or re-enactment thereto. The venue of the arbitration proceedings shall be at New Delhi and the official language of the arbitration shall be English. The Arbitrator shall have the power to award and / or enforce specific performance. If parties are unable to appoint a mutual accepted Arbitrator, they can approach civil court subject to the jurisdiction at Delhi.

IN WITNESS OF THE ABOVE, THE RESPECTIVE PARTIES HAVE SIGNED THIS MOU ON THE DATES MENTIONED HEREIN ABOVE

SIGNED AND DELIVERED by the within named Radico Khaitan Ltd, Sitapur.

Mrs. Aneeta Chauhan


.....

Mr. Hari Shankar Shukla
(Executive Vice President)


.....

Mr. Dinesh Kumar Gupta
(Vice President- Legal,
Company Secretary & Compliance Officer)


.....

SIGNED AND DELIVERED by the within named PHD Rural Development Foundation

r. Saurabh Sanyal
Trustee, PHDRDF

In the presence of the following witnesses:

1. Name & sign: _____

Address: _____





LAND AREA BREAKUP FOR GREEN FIELD DISTILLERY 400 KLPD RKL UNIT-SITAPUR			
Sr. No.	Particulars	Area Breakup in Hectare	Area Breakup in Acre
1	Main Plant & Machinerics	1.647	4.071
2	Storage area for raw materials & product	2.14	5.289
3	Boiler & Fuel Yard	0.7	1.730
4	Parking Area (15% of Total area)	4.59	11.344
5	Utilities	0.9	2.224
6	Admin office	0.093	0.230
7	Roads & paved area	5.929	14.654
8	Open area for future expansion	4.5	11.122
9	Green Belt (33% of Total area)	10.1	24.962
	Total: -	30.599	75.625

Radico Khaitan Limited

ISO 9001 :2008 Certified Company

(Unit : Sitapur) Village - Kanduni, Tehsil - Biswan, Sidhauri Biswan Road, Sitapur (U.P.) - 261201

Regd. Office & Works : Bareilly Road, Rampur - 244901 (U.P.)

Tel. EPABX (0595) 2350601, 2350602, 2350427, Fax : (0595) 2350009 email : rampur@radico.co.in

Head Office : Plot No. J-1, Block B-1, Mohan Co-op. Industrial Area,
Mathura Road, New Delhi-110044

Tel. : (91-11) 40975400/444/500/555, Fax : (91-11) 41678841-42

e-mail : info@radico.co.in, website : www.radicokhaitan.com



Ben & Gaws

 **GPS Map Camera**

Kanduni, Uttar Pradesh, India
Unnamed Road, Kanduni, Uttar Pradesh 261145, India
Lat 27.377466°
Long 80.916301°
28/11/23 01:18 PM GMT +05:30





GPS Map Camera

Kanduni, Uttar Pradesh, India

Unnamed Road, Kanduni, Uttar Pradesh 261145, India

Lat 27.377538°

Long 80.916337°

28/11/23 01:18 PM GMT +05:30





ENVIRONMENT CELL RADICO KHAITAN LIMITED UNIT- SITAPUR			
Sr. No.	Name of Persons	Designation	Qualification
1	Mr. Harishankar Shukla	Executive Vice President	M.Sc. & DIFAT
2	Mr. Sujit Kumar Shrivastava	Assist. Vice President	B. Tech (Chemicals)
3	Mr. Janjeet Singh	GM Engineering	B. Tech (Engineering), MBA & CE
4	Mr. Ashwni Kumar Singh	DGM (HR&ADMIN)	MBA in HR
5	Mr. Bhupendra Singh	GM Bottling	MBA HR in Operation
6	Mr. Ajay Kumar Tomar	Sr. Manager (HR & Admin)	MBA in HR & Marketing
7	Mr. Vivek Verma	Manager Safety	B.Sc. (Fire & Safety) & PGDIS
8	Mr. Bharat Bhushan Gopal	Sr. Manager Environment	M.Sc. in Environment & Ecology
9	Mr. Anil Kumar Jain	GM Finance	Chartered Accountant (CA)
10	Mr. Arun Malik	Manager Horticulture	B.Sc. (Agriculture)

ENVIRONMENT LABORATORY & EQUIPMENTS			
Sr. No.	Name of Equipment's/Instruments	UOM	Use for Monitoring
1	BOD Incubator	1	Biological Oxygen Demand
2	COD Apparatus	2	Chemical Oxygen Demand
3	HOT Air Oven	2	TSS/MLSS
4	Muffle Furnace	2	TS/VSS/MLVSS
5	Digital Weighting Balance	2	Weighting Chemicals
6	pH Meter	2	pH
7	Spectrophotometer	1	Silica, Chloride, Hardness, Alkalinity,
8	Turbidity Meter	1	Turbidity
9	TDS cum Conductivity Meter	1	Conductivity & TDS
10	Heating Mantel	5	Heating/VFA
11	Desiccator	1	Protect Chemicals from Humidity
12	Online DO Meter	1	Dissolve Oxygen

Radico Khaitan Limited

ISO 9001 :2008 Certified Company

(Unit : Sitapur) Village - Kanduni, Tehsil - Biswan, Sidhauri Biswan Road, Sitapur (U.P.) - 261201

Regd. Office & Works : Bareilly Road, Rampur - 244901 (U.P.)

Tel. EPABX (0595) 2350601, 2350602, 2350427, Fax : (0595) 2350009 email : rampur@radico.co.in

Head Office : Plot No. J-1, Block B-1, Mohan Co-op. Industrial Area,

Mathura Road, New Delhi-110044

Tel. : (91-11) 40975400/444/500/555, Fax : (91-11) 41678841-42

e-mail : info@radico.co.in, website : www.radico.khaitan.com



SISHODIA

Research Laboratories Pvt. Ltd.

CIN NO :- U73100UP2009PTC037857

Accredited by NABL as per ISO/IEC 17025 : 2017

Recognized by MoEFCC (Govt. of India) Under EPA 1986 | (Vide F. No. LB/99/7/2021-Sublab-HO-CPCB-HO/Pvt-322/92)



TEST REPORT

Format No- 7.8F-01

Report No RPT/231017020	Sample code SMPL/231017012	Report issue date 21/10/2023
----------------------------	-------------------------------	---------------------------------

SAMPLING DETAILS

Name and Address of Customer:	M/s Radico Khaitan Ltd. (Distillery & Bottling) Unit –Sitapur, Vill- Kanduni, Tehsil- Biswan, Dist. Sitapur (U. P)	
Type of Industry:	Distillery /Beverages	
Type of Sample:	Ambient Noise	
Date of Sampling: 15/10/2023-17/10/2023	Sampling Period:	24 Hrs
Sample Collected by:	SRLPL Team	
Method of Sampling:	SRL/QR/SP/01	
Laboratory Data Receiving date:	17/10/2023	
Period of Data analysis:	17/10/2023-21/10/2023	

AMBIENT NOISE RESULT

Noise Location	Test Method	Day			Night		
		L Max	L Min	Avg	L Max	L Min	Avg
Near decanter & Dryer	IS-9989	78.50	59.20	68.85	68.78	50.00	59.39

Noise (Ambient Standard)

Area Code	Category of Area	Limit in dB (A) Leq	
		Day Time	Night Time
A	Industrial Area	75	70
B	Commercial Area	65	55
C	Residential Area	55	45
D	Silence Zone	50	40

- Note:**
- Day time shall mean from 6.00 a.m. to 10.00 p.m.
 - Night time shall mean from 10.00 p.m. to 6.00 a.m.
 - Silence zone is an area comprising not less than 100 meters around hospitals, educational institutions, courts, religious places or any other area which is declared as such by the competent authority.
 - Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

END OF REPORT

(Reviewed By)

- Note-1.** This result listed refer only to tested sample and applicable parameter
- This certified is not to be reproduced wholly or parts promotional publicity or legal purpose without permission of authority of SRLPL.
 - The sample will be destroyed after 21 days from date of issue of test report unless otherwise specified
 - Any discrepancy found in the report may be communicated within seven days

(Authorized Signatory)



Page-1/1



SISHODIA

Research Laboratories Pvt. Ltd.

CIN NO :- U73100UP2009PTC037857

Accredited by NABL as per ISO/IEC 17025 : 2017

Recognized by MoEFCC (Govt. of India) Under EPA 1986 | (Vide F. No. LB/99/7/2021-Sublab-HO-CPCB-HO/Pvt-322/92)



TEST REPORT

Format No- 7.8F-01

Report No	Sample code	Report issue date
RPT/231017021	SMPL/231017013	21/10/2023

SAMPLING DETAILS

Name and Address of Customer:	M/s Radico Khaitan Ltd. (Distillery & Bottling) Unit –Sitapur, Vill- Kanduni, Tehsil- Biswan, Dist. Sitapur (U. P)		
Type of Industry:	Distillery /Beverages		
Type of Sample:	Ambient Noise		
Date of Sampling: 15/10/2023-17/10/2023	Sampling Period:	24 Hrs	
Sample Collected by:	SRLPL Team		
Method of Sampling:	SRL/QR/SP/01		
Laboratory Data Receiving date:	17/10/2023		
Period of Data analysis:	17/10/2023-21/10/2023		

AMBIENT NOISE RESULT

Noise Location	Test Method	Day			Night		
		L Max	L Min	Avg	L Max	L Min	Avg
Near Distillery Gate	IS-9989	81.90	62.70	72.30	71.90	52.80	62.35

Noise (Ambient Standard)

Area Code	Category of Area	Limit in dB (A) Leq	
		Day Time	Night Time
A	Industrial Area	75	70
B	Commercial Area	65	55
C	Residential Area	55	45
D	Silence Zone	50	40

- Note:
- 1 Day time shall mean from 6.00 a.m. to 10.00 p.m.
 - 2 Night time shall mean from 10.00 p.m. to 6.00 a.m.
 - 3 Silence zone is an area comprising not less than 100 meters around hospitals, educational institutions, courts, religious places or any other area which is declared as such by the competent authority.
 - 4 Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

Page-1/1

END OF REPORT

(Reviewed By)

- Note-1. This result listed refer only to tested sample and applicable parameter
 2. This certified is not to be reproduced wholly or parts promotional publicity or legal purpose without permission of authority of SRLPL.
 3. The sample will be destroyed after 21 days from date of issue of test report unless otherwise specified
 4. Any discrepancy found in the report may be communicated within seven days

(Authorized Signatory)



SISHODIA

Research Laboratories Pvt. Ltd.

CIN NO :- U73100UP2009PTC037857

Accredited by NABL as per ISO/IEC 17025 : 2017

Recognized by MoEFCC (Govt. of India) Under EPA 1986 I (Vide F. No. LB/99/7/2021-Sublab-HO-CPCB-HO/Pvt-322/92)



TEST REPORT

Format No-7.8F-01

URL/ Report No RPT/231017022	Sample code SMPL/231017014	Report issue date 21/10/2023
---------------------------------	-------------------------------	---------------------------------

SAMPLING DETAIL

1.	Name and Address of Customer:	M/s Radico Khaitan Ltd. (Distillery & Bottling) Unit –Sitapur, Vill- Kanduni, Tehsil- Biswan, Dist. Sitapur (U. P)	
	Type of Industry:	Distillery /Beverages	
2.	Sampling Location:	Near DM Plant	
3.	Type of Sample :	BOREWELL	
4.	Date of sampling : 15/10/2023	Sampling Timing:	10:00 AM
5.	Sample Given by:	Customer	
6.	Method of Sampling :	SRL/QR/SP/01	
7.	Packing condition: Sealed	Quantity Of Sample:	2 Liter, HDPE
8.	Laboratory Sample Receiving date:	17/10/2023	
9.	Period of Sample analysis:	17/10/2023– 21/10/2023	

BOREWELL WATER TESTING RESULT

Sr. No.	Parameters	Reference Method	Unit	Result	BIS Standard IS 10500: 2012	
					Requirement (Acceptable limit)	Permissible limit in the absence of alternate source
1.	pH	IS 3025 P,11	-	7.30	6.5 - 8.5	NR*
2.	Taste	APHA 2160-B	--	Agreeable	Agreeable	Agreeable
3.	Odour	APHA 2150-B	-	Agreeable	Agreeable	Agreeable
4.	Colour	APHA 2120 B	Hazen	Clear	5.0	15.0
5.	Turbidity	IS 3025 P,10	NTU	1.4	1	5
6.	Electrical Conductivity	IS 3025 P,14	µmhos/cm	620	-	-
7.	Total suspended Solids	IS 3025 P,17	mg/l	12	30	100
8.	Total Dissolve Solids	IS 3025 P,16	mg/l	350	500	2000
9.	Total Solids	IS 3025 P,15	mg/l	362	--	--
10.	Total Hardness as CaCo ₃	IS 3025 P,21	mg/l	196	200	600
11.	Calcium as Ca	IS 3025 P,40	mg/l	64.8	75	200
12.	Magnesium as Mg	IS 3025 P,46	mg/l	8.26	30	100
13.	Total Alkalinity as CaCo ₃	IS 3025 P,23	mg/l	198	200	600
14.	Chloride as Cl ⁻	IS 3025 P,32	mg/l	17.9	250	1000
15.	Sulphate as So ₄	IS 3025 P,24	mg/l	26.5	200	400
16.	Nitrate as No ₃	IS 3025 P,34	mg/l	20.1	45	NR*
17.	Fluoride as F ⁻	IS 3025 P,60	mg/l	NT	1	1.5
18.	Residual Free Chlorine	IS 3025 P,26	mg/l	NT	0.2	1
19.	Iron as Fe	IS 3025 P,53	mg/l	BDL	0.3	NR*
20.	Zinc as Zn	IS: 3025 (Part-49)	mg/l	N.T	5	15
21.	Silica as SiO ₂	4500-SiO ₂ C	mg/l	N.T	0.01	No Relaxation
22.	Cadmium as Cd	IS: 3025 (Part-41)	mg/l	N.T	0.003	No Relaxation

(Reviewed By)

(Authorized Signatory)

Page-1/2

Note-1. This result listed refer only to tested sample and applicable parameter.

2. This certified is not to be reproduced wholly or parts promotional publicity or legal purpose without permission of authority of SRLPL.

3. The sample will be destroyed after 21 days from date of issue of test report unless otherwise specified.

4. Any discrepancy found in the report may be communicated within seven days.

TEST REPORT

Format No-7.8F-01

Report No RPT/231017023	Sample code SMPL/231017014	Report issue date 21/10/2023
----------------------------	-------------------------------	---------------------------------

SAMPLING DETAIL

1.	Name and Address of Customer:	M/s Radico Khaitan Ltd. (Distillery & Bottling) Unit –Sitapur, Vill-Kanduni, Tehsil- Biswan, Dist. Sitapur (U. P)	
	Type of Industry:	Distillery /Beverages	
2.	Sampling Location:	Near DM Plant	
3.	Type of Sample :	BOREWELL	
4.	Date of sampling : 15/10/2023	Sampling Timing:	10:00 AM
5.	Sample Given by:	Customer	
6.	Method of Sampling :	SRL/QR/SP/01	
7.	Packing condition: Sealed	Quantity Of Sample:	2 Liter, HDPE
8.	Laboratory Sample Receiving date:	17/10/2023	
9.	Period of Sample analysis:	17/10/2023– 21/10/2023	

BORE WATER TESTING RESULT

Sr. No.	Parameters	Reference Method	Unit	Result	BIS Standard IS 10500: 2012	
					Requirement (Acceptable limit)	Permissible limit in the absence of alternate source
23.	Total Coliform	APHA-9221- B	MPN/100ml	Absent	Shall not be detected in 100 ml sample	
24.	E-Coli, per 100 ml	IS 5887-(P-1)	MPN/100ml	Absent		

BDL*below detection Limit NR*=No Relaxation, NT**=No Traceable

Page-2/2

****END OF REPORT****

(Reviewed By)

(Authorized Signatory)

Note-1. This result listed refer only to tested sample and applicable parameter.

2. This certified is not to be reproduced wholly or parts promotional publicity or legal purpose without permission of authority of SRLPL.

3. The sample will be destroyed after 21 days from date of issue of test report unless otherwise specified.

4. Any discrepancy found in the report may be communicated within seven days.



SISHODIA

Research Laboratories Pvt. Ltd.

CIN NO :- U73100UP2009PTC037857

Accredited by NABL as per ISO/IEC 17025 : 2017

Recognized by MoEFCC (Govt. of India) Under EPA 1986 I (Vide F. No. LB/99/7/2021-Sublab-HO-CPCB-HO/Pvt-322/92)



TEST REPORT

Format No-7.8F-01

URL/ Report No RPT/231017024	Sample code SMPL/231017015	Report issue date 21/10/2023
---------------------------------	-------------------------------	---------------------------------

SAMPLING DETAIL

1.	Name and Address of Customer:	M/s Radico Khaitan Ltd. (Distillery & Bottling) Unit –Sitapur, Vill- Kanduni, Tehsil- Biswan, Dist. Sitapur (U. P)	
	Type of Industry:	Distillery /Beverages	
2.	Sampling Location:	Near UGR	
3.	Type of Sample :	BOREWELL	
4.	Date of sampling : 15/10/2023	Sampling Timing:	10:20 AM
5.	Sample Given by:	Customer	
6.	Method of Sampling :	SRL/QR/SP/01	
7.	Packing condition: Sealed	Quantity Of Sample:	2 Liter, HDPE
8.	Laboratory Sample Receiving date:	17/10/2023	
9.	Period of Sample analysis:	17/10/2023– 21/10/2023	

BOREWELL WATER TESTING RESULT

Sr. No.	Parameters	Reference Method	Unit	Result	BIS Standard IS 10500: 2012	
					Requirement (Acceptable limit)	Permissible limit in the absence of alternate source
1.	pH	IS 3025 P,11	-	7.28	6.5 - 8.5	NR*
2.	Taste	APHA 2160-B	--	Agreeable	Agreeable	Agreeable
3.	Odour	APHA 2150-B	-	Agreeable	Agreeable	Agreeable
4.	Colour	APHA 2120 B	Hazen	Clear	5.0	15.0
5.	Turbidity	IS 3025 P,10	NTU	1.0	1	5
6.	Electrical Conductivity	IS 3025 P,14	µmhos/cm	970	-	-
7.	Total suspended Solids	IS 3025 P,17	mg/l	14.6	30	100
8.	Total Dissolve Solids	IS 3025 P,16	mg/l	504	500	2000
9.	Total Solids	IS 3025 P,15	mg/l	518.0	--	--
10.	Total Hardness as CaCo3	IS 3025 P,21	mg/l	250	200	600
11.	Calcium as Ca	IS 3025 P,40	mg/l	89.7	75	200
12.	Magnesium as Mg	IS 3025 P,46	mg/l	6.26	30	100
13.	Total Alkalinity as CaCo3	IS 3025 P,23	mg/l	220	200	600
14.	Chloride as Cl ⁻	IS 3025 P,32	mg/l	52	250	1000
15.	Sulphate as So4	IS 3025 P,24	mg/l	69.7	200	400
16.	Nitrate as No3	IS 3025 P,34	mg/l	14.11	45	NR*
17.	Fluoride as F ⁻	IS 3025 P,60	mg/l	NT	1	1.5
18.	Residual Free Chlorine	IS 3025 P,26	mg/l	NT	0.2	1
19.	Iron as Fe	IS 3025 P,53	mg/l	BDL	0.3	NR*
20.	Zinc as Zn	IS: 3025 (Part-49)	mg/l	N.T	5	15
21.	Silica as SiO ₂	4500-SiO ₂ C	mg/l	N.T	0.01	No Relaxation
22.	Cadmium as Cd	IS: 3025 (Part-41)	mg/l	N.T	0.003	No Relaxation

(Reviewed By)

(Authorized Signatory)

Page-1/2

Note-1. This result listed refer only to tested sample and applicable parameter.

2. This certified is not to be reproduced wholly or parts promotional publicity or legal purpose without permission of authority of SRL.PL.

3. The sample will be destroyed after 21 days from date of issue of test report unless otherwise specified.

4. Any discrepancy found in the report may be communicated within seven days.



Ref. No. RKL/STP/Distillery/CTO/2023-24/92.....

Date: - 18.09.2023

To,

The Chief Environmental Officer
Building. No TC-12V Vibhuti Khand, Gomti Nagar
Circle-5, UPPCB
Lucknow-226010

Subject: - Submission of Environmental Statement (Form-V) for the Financial Year Ending 2022-23.

Dear sir,

With reference to the cited subject, the Radico Khaitan Limited bottling unit is hereby submitting the Environmental Statement (Form-V) for the Financial Year Ending 2022-23.

Kind acknowledges to receipt of the same please.

Thanking You, For

M/s Radico Khaitan Limited, Unit Sitapur.

Hari Shankar Shukla

(Executive Vice President)

Encl: - As above.

CC: - The Regional Officer, Uttar Pradesh Pollution Control Board, Lucknow.

डाक प्राप्ति रसीद
प्राप्ति दिनांक 27-9-23
प्राप्तकर्ता के हस्ताक्षर
उपरोक्त प्रदूषण नियंत्रण बोर्ड, लखनऊ

Radico Khaitan Limited

ISO 9001 :2008 Certified Company

(Unit : Sitapur) Village - Kanduni, Tehsil - Biswan, Sidhauri Biswan Road, Sitapur (U.P.) - 261201

Regd. Office & Works : Bareilly Road, Rampur - 244901 (U.P.)

Tel. EPABX (0595) 2350601, 2350602, 2350427, Fax : (0595) 2350009 email : rampur@radico.co.in

Head Office . Plot No. J-1, Block B-1, Mohan Co-op. Industrial Area,
Mathura Road, New Delhi-110044

Tel. : (91-11) 40975400/444/500/555, Fax : (91-11) 41678841-42

e-mail : info@radico.co.in, website : www.radicokhaitan.com



ENVIRONMENT STATEMENT

FORM-V

(See Rule 14)

The Ministry of Environment & Forest vide its notification dated 13 March 1992 directed all industries which need to have consent under Water (Prevention & Control of Pollution) 1974 and Air (Prevention & Control of Pollution) 1981 to file the environmental statement every year. This is to be filed for the period ending March by September every year. The format for the same is as follows: **Environmental Statement for the Financial Year Ending the 2023.**

PART- A

i	Name and address of the Owner/Occupier of the Industry operation or process: -	M/s Radico Khaitan Limited (Distillery Division) Village- Kanduni Taluka- Biswan Dist.- Sitapur (U. P) Pin Code- 261201. Owner/Occupier: - Harishankar Shukla (Executive Vice President). Contact No. +919311288954 shuklahs@radico.co.in
ii	Industry category: -	Red, LSI (Large Scale Industry).
iii	Production Capacity: -	400 KLPD (Ethanol/ENA) Dual Mode.
iv	Year of establishment: -	August- 2023
v	Date of the last environmental statement submitted: -	N/A

PART- B

WATER AND RAW MATERIALS CONSUMPTION

1- Water Consumption (M3/Day)

Sr. No.	During Previous Financial Year (2021-2022)	During Current Financial Year (2022-2023)
1- In Process	Nil	Nil
2- Cooling Tower	Nil	Nil
3- Boiler Feed	Nil	Nil
4- Domestic	Nil	Nil
5- DM Water	Nil	Nil

2- PROCESS WATER CONSUMPTION PER UNIT OF PRODUCT OUTPUT (PER LITER)

Name of Product	During Previous Financial Year (2021-2022)	During Current Financial Year (2022-2023)
Absolute Alcohol	Nil	Nil
Extra Neutral Alcohol	Nil	Nil

3- RAW MATERIALS CONSUMPTION

Name of Raw Material	Name of Product	Consumption of Raw Material Per Unit (Per Litre)	
		During Previous Financial Year (2021-2022)	During Current Financial Year (2022-2023)
		1	2
Rice/Broken rice	ENA/Ethanol	Nil	Nil
Sorghum	ENA/Ethanol	Nil	Nil
Molasses	ENA/Ethanol	Nil	Nil

PART- C

POLLUTION DISCHARGED TO THE ENVIRONMENT/UNIT OF OUTPUT

Pollution Discharge to Environment/Unit of Output Generated (Parameters as Specified): -

Pollution		Quantity of Pollutants Discharged (mass/day)	Concentration of Pollutants in Discharges (mass/volume)	Percentage of variation from prescribed standards with Reasons
(a)	Water	Parameters	N/A	-
		COD, BOD, Suspended Solids, Oil & Grease.		
(b)	Air	SPM, SO ₂ , NO ₂ & CO	N/A	-

PART- D

HAZARDOUS WASTES

(As specified under hazardous Wastes/Management and handling rules, 1989)

Sr. No.	Hazardous Waste	Total Quantity (Kg.)	
		During Previous Financial Year (2021- 2022)	During Current Financial Year (2022- 2023)
a	From process	Nil	Nil
b	Used oil & grease (Cat.5.1)	Nil	Nil

PART- E
SOLID WASTES

Sr. No.		Total Quantity	
		During Previous Financial Year (2021-2022)	During Current Financial Year (2022-2023)
a	From Process	Nil	Nil
B	From pollution control facility	Nil	Nil
c	(1) Quantity recycled or reutilized	Nil	Nil
	(2) Solids	Nil	Nil
	(3) Disposed	Nil	Nil

PART- F

Please specify the characterization (in terms of composition and quantum) of hazardous as well as Solid wastes and indicate disposal practice adopted for both the categories of wastes.

A- The Hazardous Wastes generated in the unit are characterized in the following manner: -

Sr. No.	Hazardous Wastes	Mode of Disposal
1	From process	Nil
2	Used oil & grease (Cat.5.1)	TSDf

B- The Solid Wastes generated in the unit are characterized in the following manner: -

Sr. No.	Solid Wastes	Mode of Disposal
1	From Process (ETP/STP Sludge)	Utilised as Bio-manure in green belt area.
2	From Pollution Control Facility	Nil
	(1) Quantity recycled or reutilized	Nil
	(2) Solids	ETP/STP Sludge
	(3) Disposed	Utilised as Bio-manure in green belt area.

PART- G

Impact of the pollution abatement measures taken up on conservation of natural resources and on the cost of production.

- 1) Our plant is equipped with state-of-the-art as Effluent Treatment Plant & Sewage Treatment Plant with design capacity 100 KLPD & 50 KLPD to control COD, BOD, TSS, Grease & Oil as per UPPCB norms.
- 2) The treated wastewater generated at the unit is reused in process cooling tower makeup, toilet & in irrigation.

- 3) We have planted 3000 Trees for the current year 2022-2023 & 7000 more plant are planning to develop Miyawaki micro forestation & green belt zone surroundings the premises.

PART- H

Additional measures/investment proposal for environment protection including abatement of pollution prevention of pollution.

- 1) Plantation surrounding the factory premises to develop dense green belt area.
- 2) The industry is also maintaining good housekeeping and water management in plant.
- 3) We are going to install Web Camera & Flow Meters for continuous monitoring.
- 4) Regular monitoring of ambient air, ground water, noise level, wastewater, and stack gases as per norms.

PART- I

Any other particular for improving the quality of the Environment: - Yes.

- (1) The industry is maintaining good housekeeping and water management in plant.
- (2) Planning to install Web Camera & Flow Meters for continuous monitoring.
- (3) Unit have planted 3000 Trees for the current year 2022-2023 & 7000 more plant is planning to develop Miyawaki micro forestation & green belt zone surroundings the premises.
- (4) Plantation surrounding the factory premises to develop dense green belt area.

Thanking You & Your Faithfully

M/s Radico Khaitan Limited, Unit Sitapur.

(Executive Vice President)

Hari Shankar Shukla

Encl: - As above.


CC: - The Regional Officer, Uttar Pradesh Pollution Control Board, Lucknow.



67 खास आयुर्वेदिक जड़ी-बूटियों से बना 'सच्ची सहेली' आयुर्वेदिक टॉनिक एवं टेबलेट्स



- कठिन दर्द
- चिड़चिड़ापन
- थकान
- कमजोरी
- कमर कटना
- इम्युनिटी



हावाट हार्डकोर्ट के आदेश के धजा ने दी परीक्षा

11 फरवरी को आदेश के बाद निगामी सेक्टर-125 स्थित प्रिंटेरी विधि विद्यालय यादव बृहस्पतिवार को परीक्षा देने के लिए बुलाया। मुख्य न्यायाधीश के आवास पर लगाई गई में छात्रा को परीक्षा मंजूर करने का आदेश दिया था। हालांकि कोर्ट के आदेश के परिणाम घोषित करने के लगे हैं। बता दें कि विधि न छात्रा की ली काम को पढ़ा से परकीर्ण भीड़या हाट कोर्स के अंतर्गत प्रोफेसर के नाम पर परीक्षा देने से बर्हात किया था। यूरो

यू : धारासंघ चुनाव के आरवासन त 50वें दिन खुला बाव-ए-सैयद

पु। अर्थात् मुस्लिम गुंनिर्वादी (यू) के धारा का पटना बृहस्पतिवार को प्रो गया। 50वें दिन परंपरा दरजाधिया के प चुनाव कराने के आयोजन के बाद न पठिया हात बाव-ए-सैयद को खोल दिया जो पिछले 49 दिन से बंद था। छात्रा ने दर सभान भीने ने कहा कि इतनाजानता ने सन दिया है कि निश्चित कुलवारी के समक्ष प चुनाव की बात रखी जाएगी। यूरो

ये खुले, पांच यात्री घायल

1 बालू रोड पर सस्तातारण पुल के पास से बलरी की ओर जा रही बसों घिरो की घटियने दो घिरो खुल गए। इससे बस घिरो लो गई। घिरो की सीटों में बैठे पांच यात्री इस से जोड़िल लो गए। बस में स

असिस्टेंट प्रोफेसर के 356 पदों पर होगी भर्ती

उच्च शिक्षा निदेशालय ने यूपीपीएससी को भेजा अध्यायन, राजकीय महाविद्यालयों में कुल 743 पद खाली

अमर उजाला यूरो

प्रयागराज। प्रदेश के राजकीय महाविद्यालयों में असिस्टेंट प्रोफेसर के कुल 743 पद खाली पड़े हैं। इसमें से 356 पदों पर भर्ती के लिए उच्च शिक्षा निदेशालय की ओर से उत्तर प्रदेश लोक सेवा आयोग (यूपीपीएससी) को अध्यायन भेजा चुका है। बाकी पदों का अध्यायन भेजने की प्रक्रिया चल रही है।

उच्च शिक्षा निदेशालय राजकीय महाविद्यालयों में रिक्त पदों की गणना करके शासन को अध्यायन भेजता है। अध्यायन स्वीकृत होने के बाद यूपीपीएससी को भेजा जाता है और पदों पर भर्ती की जा सकती है।

अयोग भर्ती का विज्ञापन जारी करता है।

प्रदेश भर में 17 राजकीय महाविद्यालय हैं और इनमें रिक्त पदों की गणना का काम चल रहा है। इन महाविद्यालयों में असिस्टेंट प्रोफेसर के 743 पद रिक्त पड़े हैं।

परीक्षा केंद्रों पर परीक्षार्थियों की फेस गीडिंग कराने की तैयारी

प्रयागराज। यूपी बोर्ड परीक्षा में प्रोक्सी परीक्षार्थियों (फर्जी परीक्षार्थी) पर नकल कराने के लिए बोर्ड की तय्य परीक्षा केंद्रों पर फेस गीडिंग की व्यवस्था करने की तैयारियों को लेकर चर्चा तेज हो गई है। फर्जी परीक्षार्थियों पर इस बार बड़ी सख्तियां मिलने के बाद फेस गीडिंग लागू की जा सकती है।

प्रयागराज। मणिकर्ण अतीक अरफ हत्याकांड के शूटिंग त्वन्तग विवादे अरफ भीर और सनी सिंह के खिलाफ शूटवार को आरोप तय किया जा सकता है। इसके लिए प्रतापगढ़ की जेल में बंद शूटों को मुहल वीडियो कॉन्फ्रेंसिंग के जरिये

कठिन होगी स्पर्धा, जुड़ेंगे स्क्रीनिंग परीक्षा के अंक

इस बार असिस्टेंट प्रोफेसर भर्ती में शामिल होने वाले अभ्यर्थियों के बीच स्पर्धा कठिन होने जा रही है। आयोग अब तक असिस्टेंट प्रोफेसर के पदों पर सीधी भर्ती करता था। अभ्यर्थियों का चयन सीधे इंटरव्यू में मिलने अंकों के आधार पर होता था और इंटरव्यू से पहले अर्थात्जत होने वाली स्क्रीनिंग परीक्षा केवल छुट्टी के लिए कराई जाती थी। अब असिस्टेंट प्रोफेसर भर्ती में स्क्रीनिंग परीक्षा के 75 फीसदी अंक जुड़ेंगे और इंटरव्यू के 25 फीसदी अंक ही चयन का आधार होंगे। ऐसे में स्क्रीनिंग परीक्षा अब महत्वपूर्ण भूमिका होगी।

उच्च शिक्षा निदेशालय की ओर से

अब तक 356 पदों का अध्यायन यूपीपीएससी को भेजा जा चुका है। बाकी 387 पदों को लेकर कुछ आपत्तियां हैं, जिनके बारे में निदेशालय से जानकारी मंगी गई है। निदेशालय की ओर से

श्रीकृष्ण जन्मभूमि-ईदगाह प्रकरण में सर्वे पर फेसलता सुरक्षित

मथुरा। श्रीकृष्ण जन्मभूमि-शाही ईदगाह मस्जिद विवाद में बृहस्पतिवार को इलाहाबाद हाईकोर्ट में न्यायमूर्ति मयंक जैन की कोर्ट सख्त्या 85 में तीन घंटे सुनवाई चली। जन्मभूमि पक्ष ने परिसर के सर्वे और कोर्ट कमिशन की याचिका पेश की, जिसका ईदगाह पक्ष ने विरोध किया। दोनों पक्षों ने सौंपसौ, उपासना अधिनियम और स्माक अधिनियमों का हवाला देते हुए कोर्ट में अपने-अपने तय्य पेश किए। कोर्ट ने सुनवाई के बाद फेसलता सुरक्षित रख लिया है। हाईकोर्ट में श्रीकृष्ण जन्मभूमि मुदा न्यास सहित 16 वादों पर एक साथ सुनवाई हुई। न्यास के अध्यक्ष एडवोकेट महेन्द्र प्रताप सिंह ने कोर्ट में एक्सआई और कोर्ट कमिशन के सर्वे की याचिका पेश की। उन्होंने कहा कि सभी दस्तावेज जन्मभूमि पक्ष के पास हैं। ईदगाह पक्ष के पास अर्ध कब्जे के अलावा कुछ नहीं है। ईदगाह पक्ष, शाही ईदगाह परिसर में मौजूद लिट्ट स्थापन कर रहा है। सर्वे की लगातार मिट्टी को काम कर रहा है। संवाद विवादित स्थल को सर्वे करना जरूरी है। संवाद

सार्वजनिक सूचना

सर्वसाधारण को सूचित किया जाता है कि ग्राम कुटुंबी, तहसील बिसवा जिला सीतापुर में मेसर्स रेडिको खदान लिमिटेड द्वारा प्रस्तावित 400 किलो लीटर क्षमता की डिट्रिक्लरी और 15 मीगावाट क्षमता की कोजेनेशनापावर प्लांट की स्थापना हेतु भारत सरकार के वन मंत्रालय एवं जलवायु परिवर्तन मंत्रालय द्वारा दिनांक 31.08.2022 को प्युब्लिकीय स्वीकृति प्रदान कर दी गयी है इसको मंत्रालय की वेबसाइट मोई.गुव.िन पर देखा जा सकता है।



SERVOKON
RAKHE SAB CONTROL MEIN

सार्वजनिक सूचना

सर्वसाधारण को सूचित किया जाता है कि ग्राम कंदुनि, तहसील बिसवां जिला सीतापुर में मेसर्स रेडिको खेतान लिमिटेड द्वारा प्रस्तावित 400 किलो लीटर क्षमता की डिस्टिलरी और 15 मेगावाट क्षमता की कोजेनरेशनपावर प्लांट की स्थापना हेतु भारत सरकार के वन पर्यावरण एवं जलवायु परिवर्तन मंत्रालय द्वारा दिनांक 31.08.2022 को पर्यावरणीय स्वीकृति प्रदान कर दी गयी है इसको मंत्रालय की वेबसाइट moef.gov.in पर देखा जा सकता है।